PRINT ☐ | CLOSE WINDOW ⊠

GMC ENVOY SPECIFICATIONS — Vital Stats

| 2WD | 4WD |
|---|---|
| \$29,805* | \$32,055* |
| Vortec [™] 4200 inline 6- cylinder with 275 horsepower @ 6000 RPM and 275 lb-ft torque @ 3600 | Vortec 4200 inline 6-cylinder with 275 horsepower @ 6000 RPM and 275 lb-ft torque @ 3600 |
| Four-speed automatic, electronically controlled with overdrive | Four-speed automatic, electronically controlled with overdrive |
| 5,550 lbs | 5,750 lbs |
| 1,069 | 1,134 |
| 80.1 | 80.1 |
| 39.8 | 39.8 |
| 39.8 | 39.8 |
| 22 | 22 |
| 5 | 5 |
| | \$29,805* Vortec™ 4200 inline 6- cylinder with 275 horsepower @ 6000 RPM and 275 lb-ft torque @ 3600 Four-speed automatic, electronically controlled with overdrive 5,550 lbs 1,069 80.1 39.8 39.8 |

^{*}Manufacturer's Suggested Retail Price. Tax, title, license, dealer fees, and optional equipment extra.

§Maximum payload capacity includes weight of driver, passenger, optional equipment and cargo.

Capacities and weight ratings are dependent upon model, engine, transmission and GVWR combinations. See your GMC dealer for details.

GMC ENVOY SPECIFICATIONS — Mechanical

| S = Standard | A = Available | N/A = Not Available | | | | | | | |
|----------------------|---------------|---------------------|----------|--|----------|-----|----------|--|----------|
| Description | | | | | | SLT | | | |
| Description | | | 1SA pkg. | | 1SB pkg. | | 1SC pkg. | | 1SD pkg. |
| Alternator, 150 amps | | | S | | S | | S | | S |

[†]When properly equipped, includes weight of vehicle, passengers, cargo and equipment.

^{**}Cargo and load capacity limited by weight and distribution.

| | Battery, heavy-duty, 600 cold-cranking amps, includes rundown protection and retained accessory power | 1 | S | 1 | S | I | S | | S |
|---|---|---|-------|---|-------|---|-------|---|-------|
| - | Brakes, 4-wheel antilock, 4-wheel disc | | S | | S | | S | | S |
| | Differential, locking, heavy-duty, rear 1 - Requires (NW7) Traction assist system, electronic with 4-Door 2-Wheel Drive. | | A^1 | I | А | I | А | I | А |
| | Emissions Certification, CFF (Clean Fuel Fleet) LEV (Low Emission Vehicle). Option VCL should ONLY be ordered to receive the CFF LEV certification. If VCL is not ordered, the vehicle will be produced with your normally selected emission system and may not be CFF LEV certified. Products ordered with the VCL option may not be certified to California emission requirements. Therefore, they may not be legal for registration in California, New York, Massachusetts, Maine and Vermont. Option YF5 should be ordered for all vehicles ordered in California | | Α | ı | А | | Α | I | Α |
| | Emissions override, Federal (for vehicles ordered by dealers in Federal emission states with California, New York, Vermont, Massachusetts or Maine emissions; may also be used by dealers in states of California, New York, Vermont, Massachusetts or Maine to order different state-specific emissions) 1 - Requires (YF5) California state requirements or (NE1) Emissions, Massachusetts, Maine, New York or Vermont state requirements. | I | A^1 | I | A^1 | I | A^1 | I | A^1 |
| | Emissions override, California, Massachusetts, New York or Vermont (for vehicles ordered by dealers in states of California, New York, Vermont or Massachusetts with Federal emissions) 1 - Requires (FE9) emission, Federal requirements. | I | A^1 | ı | A^1 | I | A^1 | I | A^1 |
| | Emissions, Federal requirements | | Α | | Α | | Α | | Α |
| | Emissions, California state requirements | | Α | | Α | | Α | | Α |
| | Emissions, Maine, Massachusetts, New York or Vermont state requirements | | А | I | А | I | А | | Α |
| | Engine block heater 1 - 4-Door 4-Wheel Drive only. | | A^1 | I | A^1 | I | A^1 | | A^1 |
| | Engine, Vortec 4200 SFI I6, includes transmission oil cooler (275 HP [205.1 kW] @ 6000 rpm, 275 lbft. [371.2 N-m] @ 3600 rpm) | | S | I | S | I | S | I | S |
| | Exhaust, aluminized stainless-steel muffler and tailpipe | | S | I | S | | S | I | S |
| - | Fuel tank capacity, 22 gal, (83.3 liters) | | N/A | | N/A | | N/A | | N/A |
| - | GVWR, 5550 lbs. (2517 kg) 1 - 4-Door 2-Wheel Drive only. | | S^1 | I | S^1 | I | S^1 | | S^1 |
| | GVWR, 5750 lbs. (2608 kg) 1 - 4-Door 4-Wheel Drive only. | | S^1 | I | S^1 | | S^1 | | S^1 |
| | Rear axle, 3.73 ratio | | Α | | Α | | Α | | Α |
| | | * | | | | | | | |

| Rear axle, 4.10 ratio | | Α | | Α | | Α | | Α |
|---|---|-------|---|----------------|---|----------------|---|-------|
| Rear axle, 3.42 ratio | | S | | S | | S | | S |
| Skid Plate Package, includes transfer case and front differential, fuel tank and steering linkage shields 1 - Requires 4-Door 4-Wheel Drive and (QTE) Tires, P245/65R17 on-/off road. 2 - Requires 4-Door 4-Wheel Drive and (QTE) Tires, P245/65R17 on-/off road - not available with (G67) Suspension Package, rear Load-Leveling. | I | A^1 | I | A ² | I | A ² | I | A^2 |
| Steering, power | | S | | S | | S | | S |
| Suspension Package, rear Load-Leveling, includes air compressor in rear compartment and inflator kit 1 - Not available with (ZM5) Skid Plate Package and includes (VK3) License plate, bracket, front. | | N/A | I | A^1 | | A^1 | I | A^1 |
| Suspension Package, Luxury Ride, includes 1.81" (46 mm) high pressure gas Bilstein shocks, front and rear urethane jounce bumpers, front and rear stabilizer bars | l | S | I | S | | S | I | S |
| Traction assist system, electronic 1 - Requires 4-Door 2-Wheel Drive and (G80) Differential, locking, heavy-duty, rear. | | A^1 | I | A^1 | I | A^1 | I | A^1 |
| Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness plus CHMSL wire and heavy-duty flasher | | S | I | S | I | S | I | S |
| Transfer case, electronic Autotrac, includes auto 4WD and panel-mounted electronic controls 1 - Requires 4-Door 4-Wheel Drive. | | S^1 | I | S^1 | I | S^1 | I | S^1 |
| Transmission, 4-speed automatic, electronically controlled with overdrive | I | S | | S | | S | | S |

GMC ENVOY SPECIFICATIONS — **Engines**

| Model | Engine | Availability |
|---------------|-----------------------|--------------|
| 2-Wheel Drive | Vortec 4200 SFI I6 | S |
| 4-Wheel Drive | Vortec 4200 SFI I6 | S |

⁴⁻speed automatic transmission standard on all models.

GMC ENVOY SPECIFICATIONS — Dimensions

| Dimensions | 2WD/4WD |
|---|---------|
| Wheelbase | 113 |
| Overall length | 191.6 |
| Body width | 74.7 |
| Overall height | 71.9 |
| Head room, 1st row | 40.2 |
| Head room, 2nd row | 39.6 |
| Shoulder room, 1st row | 58.5 |
| Shoulder room, 2nd row | 58.5 |
| Hip room, 1st row | 55.5 |
| Hip room, 2nd row | 58.1 |
| Leg room, 1st row | 41.4 |
| Leg room, 2nd row | 37.1 |
| Ground to top of rear load floor | 32.1 |
| Load floor length, with rear seat, at belt line | 33.2 |
| Load floor length, with rear seat, at floor | 39.7 |
| Load floor length, with rear seat folded, at belt line | 67.7 |
| Load floor length, with rear seat folded, at floor | 70 |
| Inside width, between wheelhousing | 46.1 |
| Cargo area height | 39.6 |
| Cargo area height, at rear axle | 37.3 |
| Ground clearance, front | 8 |
| All although the foreign contract with a contract when it | |

All dimensions in inches unless otherwise stated.

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

GMC ENVOY SPECIFICATIONS — Capacities

| Capacities | 2WD | 4WD |
|--|------|------|
| Front axle, lbs. | 2950 | 2950 |
| Front spring capacity, lbs. | 3100 | 3100 |
| Rear axle, lbs. | 3200 | 3200 |
| Rear spring capacity, lbs. | 3200 | 3200 |
| Curb weight, lbs. | 4432 | 4616 |
| Cargo volume, with rear seat up, cu. ft. | 39.8 | 39.8 |
| Cargo volume, with rear seat folded, cu. ft. | 80.1 | 80.1 |
| Payload, lbs. | 1069 | 1134 |
| Gross Vehicle Weight Rating (GVWR), lbs. | 5550 | 5750 |
| Front Gross Axle Weight Rating (GAWR), lbs. | 2950 | 2950 |

| Rear Gross Axle Weight Rating (GAWR), lbs. | 3200 3200 |
|--|-------------|
| Fuel capacity, approximate, gallon | 22 22 |
| Seating capacity (front/rear) | 2/3 2/3 |
| Front shock absorber diameter, in. | 1.81 1.81 |
| Front stabilizer bar diameter, in. | 1.34 1.34 |
| Rear shock absorber diameter, in. | 1.42 1.42 |
| Rear stabilizer bar diameter, in. | .944 .944 |
| Turning diameter, curb-to-curb, ft. | 36.4 36.4 |

GMC ENVOY SPECIFICATIONS — Wheels



Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) cast aluminum, includes steel spare



Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) polished aluminum, includes center caps and steel spare



Wheels, 4 - 17" x 7" (43.2 cmx 17.8 cm) machine cast aluminum, includes steel spare

GMC ENVOY SPECIFICATIONS — Trailering

Automatic Transmission Ratings with Ball Hitch

| | | Vortec 4200 | SFI 16 |
|-------|------------|-------------|---------------------------------|
| Model | Axle Ratio | | Maximum Trailer Weight lbs.* |
| | 3.42 | | 5,300 |

| 2-Wheel Drive | 3.73 | 5,800 |
|---------------|------|-------|
| 2-wheel Drive | 4.10 | 6,300 |
| | 3.42 | 5,100 |
| 4-Wheel Drive | 3.73 | 5,600 |
| | 4.10 | 6,100 |

^{*}Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of option equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

GMC ENVOY FEATURES & OPTIONS — Standard Equipment

| S = Standard | A = Available | | N/A | A = N | lot Available | | | | | | |
|--|---|--|----------|-------|---------------|---|----------|---|----------|--|--|
| Description | Description | | | SLE | | | SLT | | | | |
| Description | | | 1SA pkg. | | 1SB pkg. | | 1SC pkg. | | 1SD pkg. | | |
| 1 - Always use safe restraints, even with when properly secure | iver and right front passenger bity belts and proper child air bags. Children are safer ed in a rear seat. See the nore safety information. | | S^1 | I | S^1 | I | S^1 | | S^1 | | |
| Alternator, 150 amp | os | | S | | S | | S | | S | | |
| | , 600 cold-cranking amps, otection and retained accessory | | S | I | S | | S | I | S | | |
| Body, liftgate with li and rear-window wip | ftglass, includes electric release er/washer | | S | - | S | | S | | S | | |
| Brakes, 4-wheel ant | ilock, 4-wheel disc | | S | | S | | S | | S | | |
| Bumpers, front and includes pad | rear, color-keyed, rear step | | S | | S | | S | | S | | |
| Cargo tie downs, red downs | ear compartment, 5-floor tie | | S | | S | | S | | S | | |
| Coat hooks, driver a | and passenger side, rear seat | | S | | S | | S | | S | | |
| Console, floor, inclu | des CD/cassette storage | | S | | S | | S | | S | | |
| | tronic with set and resume le in instrument panel cluster | | S | | S | | S | | S | | |
| Cupholders, 2 front | , on floor console | | S | | S | | S | | S | | |
| Cupholders, 2 secon | nd row | | S | | S | | S | | S | | |
| Daytime running la exterior lamp control | amps, includes automatic | | S | | S | | S | 1 | S | | |
| | orogrammable, that unlock when 'Park', and lockout protection | | S | | S | | S | | S | | |
| Door locks, child se | curity, rear | | S | | S | | S | | S | | |
| | SFI I6, includes transmission 05.1 kW] @ 6000 rpm, 275 lb | | S | I | S | | S | I | S | | |

| ft. [371.2 N-m] @ 3600 rpm) | | | | | | | | |
|---|---|-------|---|-------|---|-------|---|-------|
| Exhaust, aluminized stainless-steel muffler and tailpipe | | S | | S | | S | - | S |
| Floor covering, color-keyed carpeting | | S | | S | | S | | S |
| Floormats, color-keyed, carpeted front and 2nd row, removable | | S | | S | | S | - | S |
| Fog lamps, front, round, halogen | | S | | S | | S | | S |
| GVWR, 5550 lbs. (2517 kg) 1 - 4-Door 2-Wheel Drive only. | | S^1 | | S^1 | | S^1 | - | S^1 |
| GVWR, 5750 lbs. (2608 kg) 1 - 4-Door 4-Wheel Drive only. | | S^1 | | S^1 | | S^1 | | S^1 |
| Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger) | | S | | S | | S | I | S |
| Grille, body-color, with bright trim molded plastic | | S | | S | | S | | S |
| Headlamps, dual halogen composite, includes flash-to-pass feature and automatic lamp control | | S | | S | | S | - | S |
| Heater and defogger , includes front and side window defoggers and rear passenger heating ducts | | S | | S | | S | - | S |
| Horn, dual note, high and low | | S | | S | | S | | S |
| Instrumentation , analog, includes speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure gauges, tachometer, liftgate ajar, warning light for safety belt, ABS/parking brake, directional hazard signals and high beam | | S | I | S | I | S | I | S |
| Keyless entry, remote, programmable, includes 2 transmitters and panic button | | S | | S | | S | | S |
| Lamps, cornering | | S | | S | | S | | S |
| Lighting , perimeter with theater dimming, cargo compartment, reading lamps in all rows, door- and tailgate-activated switches, illuminated entry, exit feature and rear map lights | l | S | I | S | I | S | I | S |
| Luggage rack, roof-mounted, Black, side rails only | | S | | N/A | | N/A | | N/A |
| Rear axle, 3.42 ratio | | S | | S | | S | | S |
| Seat trim, leather-appointed | | N/A | | N/A | | S | | S |
| Seat trim, Deluxe Cloth | | S | | S | | N/A | | N/A |
| Seat, rear split-folding | | S | | S | | S | | S |
| Steering column, Tilt-Wheel, adjustable, includes brake/transmission shift interlock | | S | | S | | S | - | S |
| Steering, power | | S | | S | | S | | S |
| Suspension Package, Luxury Ride, includes 1.81" (46 mm) high pressure gas Bilstein shocks, front and rear urethane jounce bumpers, front and rear stabilizer bars | | S | I | S | l | S | I | S |
| Theft-deterrent system, PASSlock | | S | | S | | S | | S |
| | | | | | | | | |

| Tire, spare, full-size, steel wheel located at rear underbody of vehicle | | S | | S | | S | | S |
|---|---|-------|--|-------|--|-------|---|-------|
| Tires, P245/65R17, all-season, blackwall | | S | | S | | S | | S |
| Tools, mechanical jack and wheel wrench | | S | | S | | S | | S |
| Trailering equipment, heavy-duty, includes trailering hitch platform, 7-wire harness plus CHMSL wire and heavy-duty flasher | 1 | S | | S | | S | I | S |
| Transfer case, electronic Autotrac, includes auto 4WD and panel-mounted electronic controls 1 - Requires 4-Door 4-Wheel Drive. | I | S^1 | | S^1 | | S^1 | I | S^1 |
| Transmission, 4-speed automatic, electronically controlled with overdrive | | S | | S | | S | | S |
| Windows, power, includes driver express-down feature and lockout features | | S | | S | | S | | S |
| Wipers, intermittent, front | | S | | S | | S | | S |
| Wipers, intermittent, rear, wiper/washer | | S | | S | | S | | S |
| | | | | | | | | |

GMC ENVOY FEATURES & OPTIONS — Interior

| S = Standard | A = Available | | N/A | 4 = N | lot Available | | | | |
|---|---|---|----------|-------|---------------|-----|----------|---|----------|
| | | | SLE | | | SLT | | | |
| Description | | | 1SA pkg. | | 1SB pkg. | | 1SC pkg. | | 1SD pkg. |
| passenger 1 - Always use safe restraints, even with when properly secur | et, driver and right front ety belts and proper child air bags. Children are safer ed in a rear seat. See the more safety information. | I | A^1 | I | A^1 | | A^1 | I | A^1 |
| Always use safe restraints, even with when properly secur | iver and right front passenger ety belts and proper child air bags. Children are safer ed in a rear seat. See the nore safety information. | l | S^1 | I | S^1 | I | S^1 | I | S^1 |
| climate settings for o | ual-zone, automatic, individual driver and right front passenger temperature indicator | | N/A | I | N/A | | А | | А |
| • | ual-zone, manual, individual driver and right front passenger | | Α | | Α | | N/A | | N/A |
| compartment cargo rubberized surface, i container holder/con partitions that fold d flat load floor, re-cor to interior trim select | ement system, rear area organizer, non-skid molded in leak-proof liquid apartments, has collapsible own when not in use to provide afigurable dividers. Color keyed tion - (Special Equipment stalled-no tools needed, easily | l | А | I | Α | l | А | l | Α |

| Cargo convenience net, in rear compartment area | | N/A | | Α | | Α | | А |
|---|---|-----|---|-------|---|-------|---|-------|
| Cargo mat, rear reversible | | N/A | | Α | | Α | | Α |
| Cargo shade, rear, retractable, color-keyed, removable | | N/A | | Α | | Α | | А |
| Cargo tie downs, rear compartment, 5-floor tie downs | | S | | S | | S | | S |
| Coat hooks, driver and passenger side, rear seat | | S | | S | | S | | S |
| Console, overhead custom, includes (UG1) Universal transmitter | | N/A | | Α | | Α | | Α |
| Console, floor, includes CD/cassette storage | | S | | S | | S | | S |
| Cruise control , electronic with set and resume speed, includes telltale in instrument panel cluster | | S | | S | I | S | I | S |
| Cupholders, 2 front, on floor console | | S | | S | | S | | S |
| Cupholders, 2 second row | | S | | S | | S | | S |
| Defogger, rear-window, electric | | Α | | Α | | Α | | Α |
| Defogger , rear window, delete | | Α | | N/A | | N/A | | N/A |
| Door locks, power programmable, that unlock when vehicle is shifted into 'Park', and lockout protection | | S | | S | I | S | I | S |
| Door locks, child security, rear | | S | | S | | S | | S |
| Driver Convenience Package , includes (CJ2) Air conditioning, dual-zone, automatic, (DD7) Mirror, inside rearview, electrochromic, (STW) Steering wheel, leather wrapped rim, (UK6) Sound system feature, rear audio controls, (U68) Driver Information center | ı | N/A | I | N/A | I | А | I | А |
| Driver Information Center , monitors different systems, includes trip computer, fluid levels and door ajar | | N/A | | N/A | 1 | Α | 1 | А |
| Entertainment system, rear seat, includes DVD player, screen and headphones/controls 1 - Not available with (CF5) Sunroof, power. | | N/A | | A^1 | | A^1 | | A^1 |
| Floor covering, color-keyed carpeting | | S | | S | | S | | S |
| Floormats, color-keyed, carpeted front and 2nd row, removable | | S | | S | | S | | S |
| Floormats, delete 1st and 2nd rows | | Α | | Α | | Α | | Α |
| Heater and defogger , includes front and side window defoggers and rear passenger heating ducts | | S | | S | | S | | S |
| Instrumentation, analog, includes speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure gauges, tachometer, liftgate ajar, warning light for safety pelt, ABS/parking brake, directional hazard signals and high beam | l | S | | S | I | S | I | S |
| Keyless entry, remote, programmable, includes 2 transmitters and panic button | | S | | S | I | S | | S |
| Lighting , perimeter with theater dimming, cargo compartment, reading lamps in all rows, door- and | | S | | S | | S | | S |

| | tailgate-activated switches, illuminated entry, exit feature and rear map lights | | | | | | | | |
|---|--|---|-------|---|-------|---|-------|---|-------|
| | Mirror, inside rearview, electrochromic (light- sensitive auto dimming) and 8-point compass | | N/A | I | N/A | | А | | А |
| | Mirror, inside rearview, electrochromic (light- sensitive auto dimming), 8-point compass and outside temperature indicator | | N/A | I | А | I | N/A | I | N/A |
| - | Mirror, inside rearview, prismatic | | Α | | N/A | | N/A | | N/A |
| | OnStar, 1-year Safe and Sound Service, includes automatic notification of air bag deployment, emergency services, roadside assistance, stolen vehicle tracking, AccidentAssist, remote door unlock, remote diagnostics, online concierge and remote horn and lights. Drivers can also opt for other available OnStar services, including making and receiving voice-activated, hands-free phone calls with Personal Calling and getting location-based traffic and weather reports with Virtual Advisor. 1 - Visit onstar.com for system information and details. | I | N/A | ı | A^1 | | A^1 | | A^1 |
| | NEW! Pedals, power, adjustable | | Α | | А | | Α | | Α |
| | Seat adjuster, 2-position memory, driver seat and outside rearview mirrors | | N/A | - | N/A | I | А | I | А |
| | Seat adjuster, power, passenger 8-way | | N/A | | Α | | Α | | Α |
| - | Seat adjuster, power, driver 8-way | | N/A | | Α | | Α | | Α |
| | Seat trim, leather-appointed | | N/A | | N/A | | S | | S |
| - | Seat trim, Deluxe Cloth | | S | | S | | N/A | | N/A |
| - | Seat, rear split-folding | | S | | S | | S | | S |
| | Seats, front leather-appointed power reclining buckets, includes driver and front power lumbar support, adjustable head restraints and 8-way power on driver and front passenger | I | N/A | ı | N/A | I | А | I | А |
| | Seats, heated, driver and front passenger | | N/A | | N/A | | Α | | Α |
| | Seats, front Deluxe Cloth reclining buckets, includes adjustable head restraints, driver manual lumbar and manual recline | | А | I | N/A | I | N/A | I | N/A |
| | Seats, front Deluxe Cloth reclining buckets, includes driver power lumbar support, adjustable head restraints, 8-way power on driver's side with power recliner and passenger manual recline | l | N/A | I | А | I | N/A | I | N/A |
| | Smoker's Package, includes ashtray and lighter | | Α | | Α | | Α | | Α |
| | NEW! Sound system feature, XM Satellite Radio is 100 channels of digital quality sound that goes wherever you go - coast to coast. Displays song title, artist and entertainment genre. 1 - Subscription fees apply. Available only in the 48 contiguous U.S. | I | A^1 | ı | A^1 | | A^1 | | A^1 |
| | Sound system feature, rear audio controls, includes headphone jacks (headphones not included) | | N/A | I | N/A | | А | | А |

| | Sound system feature, Bose premium speaker | | | | | | | | |
|--|--|---|-------|---|-------|---|-------|---|----------------|
| \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ | 1 - Requires (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer or (UB1) Sound system, ETR AM/FM stereo with CD player and cassette. Also requires (UPC) Travel Note digital recorder. 2 - Requires (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer or (UB1) Sound System, ETR AM/FM stereo with CD player and cassette or (UM8) Sound System, ETR AM/FM stereo with CD player, integrated Navigation Radio (INR). Also requires UPC) Travel Note digital recorder. | I | - | I | A^1 | I | A^2 | I | A ² |
| i i c c c c c c c c c c c c c c c c c c | Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock and Radio Data System (RDS) 1 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with CD player and cassette. 2 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with CD player and cassette or UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer. 3 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with 6-disc CD changer. 5 - May be substituted with (UB1) Sound system, ETR AM/FM stereo with 6-disc CD changer or (UM8) Sound system, ETR AM/FM stereo with 6-disc CD changer or (UM8) Sound system, ETR AM/FM stereo with CD player, Integrated Navigation Radio INR). | | A^1 | | A^2 | | A^3 | | N/A |
| 6 | Sound system, ETR AM/FM stereo with 6-disc CD changer, includes seek-and-scan, digital clock and auto-tone control, speed-compensated volume, TheftLock and Radio Data System (RDS) | I | N/A | I | А | | А | I | Α |
| F 5 | NEW! Sound system, ETR AM/FM stereo with CD blayer, Integrated Navigation Radio (INR), includes seek-and-scan, auto-tone control, Radio Data System (RDS) and full-feature Autonomous Navigation 1 - Requires (UQA) Sound System feature, Bose bremium speaker system and (UPC) Travel note digital recorder. | I | N/A | I | N/A | I | A^1 | I | A^1 |
| 6 6 1 | Gound system, ETR AM/FM stereo with CD player and cassette, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, electronic tuning, TheftLock, 6-speakers and Radio Data System (RDS) 1 - May be substituted with (UC6) Sound System, ETR AM/FM stereo with 6-disc CD changer or (UM8) Sound system, ETR AM/FM stereo with CD player, integrated Navigation Radio (INR). | I | А | ı | А | I | А | I | A^1 |
| | Steering column, Tilt-Wheel, adjustable, includes brake/transmission shift interlock | | S | | S | I | S | I | S |
| | Steering wheel, leather-wrapped rim, includes cheft-deterrent locking feature | | Α | 1 | Α | I | N/A | I | N/A |
| 5 | Steering wheel, leather-wrapped rim, includes | | | | | | | | |

| audio, DIC controls and theft-deterrent locking feature | | N/A | | N/A | | Α | | Α |
|--|---|-----|---|-------|--|-------|--|-------|
| Sunroof, power, tilt-sliding, electric with express- open and wind deflector 1 - Not available with (U42) Entertainment system, rear seat. | I | N/A | | A^1 | | A^1 | | A^1 |
| Theft-deterrent alarm system | | N/A | | Α | | Α | | Α |
| Theft-deterrent system, PASSlock | | S | | S | | S | | S |
| Tools, mechanical jack and wheel wrench | | S | | S | | S | | S |
| Travel Note digital recorder, located in overhead console | I | N/A | | А | | Α | | Α |
| Universal Transmitter , HomeLink, includes garage door opener, 3-channel programmable | | N/A | | Α | | Α | | Α |
| Visors, padded, color-keyed, driver and passenger side with cloth trim | I | Α | | N/A | | N/A | | N/A |
| Visors, padded, color-keyed, driver and passenger side with cloth trim, driver and passenger illuminated vanity mirrors | | N/A | I | А | | Α | | Α |
| Windows, power, includes driver express-down feature and lockout features | | S | | S | | S | | S |

GMC ENVOY FEATURES & OPTIONS — Exterior

| Ş | S = Standard | N/A = Not Available | | | | | | | | | |
|---|---|---|--|----------|-----|----------|-----|----------|--|----------|--|
| | Description | Description | | | SLE | | SLT | | | | |
| | Description | | | 1SA pkg. | | 1SB pkg. | | 1SC pkg. | | 1SD pkg. | |
| | Assist steps, Black | | | N/A | | Α | | Α | | А | |
| | Body, liftgate with liftglass and rear-window wiper/wa | | | S | | S | | S | | S | |
| | Bumpers, front and rear, includes pad | color-keyed, rear step | | S | | S | | S | | S | |
| | Daytime running lamps, exterior lamp control | , includes automatic | | S | | S | | S | | S | |
| | Fog lamps, front, round, | halogen | | S | | S | | S | | S | |
| | Glass, Solar-Ray deep tint light tinted glass on windst passenger) | | | S | | S | | S | | S | |
| | Grille, body-color, with br | ight trim molded plastic | | S | | S | | S | | S | |
| | Headlamps, dual halogen to-pass feature and autom | composite, includes flash- atic lamp control | | S | | S | | S | | S | |
| | Headlamps, washer | | | N/A | | N/A | | Α | | А | |
| | Horn, dual note, high and | low | | S | | S | | S | | S | |
| | Lamps, cornering | | | S | | S | | S | | S | |
| | | | | | | | | | | | |

| License plate bracket, front (available at no extra charge) | | Α | I | Α | I | А | I | А |
|---|--|-------|---|-------|---|-------|---|-------|
| Luggage rack, rooftop, black, adjustable, with cross bars | | Α | I | А | | Α | | Α |
| Luggage rack, roof-mounted, Black, side rails only | | S | | N/A | | N/A | | N/A |
| Mirrors, outside rearview, foldaway, power, heated, memory with turn signal | | N/A | I | N/A | | А | I | А |
| Mirrors, outside rearview, foldaway, power, heated 1 - Requires (C49) Defogger, rear window, electric. | | A^1 | I | Α | I | N/A | I | N/A |
| Mirrors, outside rearview, foldaway | | Α | | N/A | | N/A | | N/A |
| Moldings, bodyside, body-color | | Α | | Α | | N/A | | N/A |
| Moldings, bodyside, body-color, with brushed nickel insert | | N/A | I | N/A | | Α | | А |
| Tire, spare, full-size, steel wheel located at rear underbody of vehicle | | S | I | S | | S | | S |
| Tires, P245/65R17, on-/off-road, blackwall | | A^1 | | A^1 | | A^1 | | A^1 |
| Tires, P245/65R17, all-season, blackwall | | S | | S | | S | | S |
| Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) cast aluminum, includes steel spare 1 - May be substituted with (N80) Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) polished aluminum. | | A^1 | I | A^1 | I | N/A | I | N/A |
| Wheels, 4 - 17" \times 7" (43.2 cm \times 17.8 cm) polished aluminum, includes center caps and steel spare | | Α | I | Α | | Α | | А |
| Wheels, 4 - 17" x 7" (43.2 cmx 17.8 cm) machine cast aluminum, includes steel spare 1 - May be substituted with (N80) Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) polished aluminum. | | N/A | I | N/A | I | A^1 | 1 | A^1 |
| Wipers, intermittent, front | | S | | S | | S | | S |
| Wipers, intermittent, rear, wiper/washer | | S | | S | | S | | S |
| Wipers, front Rainsense | | N/A | | N/A | | N/A | | Α |
| | | | | | | | | |

GMC ENVOY FEATURES & OPTIONS — Safety

Front/Side Air Bags*:

Standard front and available side air bags help protect the driver and front passenger. Envoy also offers three-point safety belts in all occupant positions.

Four-Wheel Disc Brakes with ABS:

Standard ABS helps maintain steering control during hard braking, while four vented discs offer impressive braking power.

Available OnStar®†:

Activated with the push of a button or automatically in the event of air bag deployment, OnStar pinpoints your location using global positioning satellite technology technology and can contact a nearby emergency service provider, like the police or an ambulance.

*Air bag inflation can cause serious injury or death to anyone too close to the bag when it deploys. Be sure every occupant is properly restrained. Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owner's Manual for more safety information.

†One-year OnStar Safe and Sound service agreement required. Call 1-800-ONSTAR-7 or visit www.OnStar.com for system limitations and details.