

PRINT  | CLOSE WINDOW **GMC SONOMA 2WD SPECIFICATIONS – Vital Stats****Regular Cab Short Box**

Starting at MSRP*	\$15,405*
Engine Options	Vortec™ 2200 4 cyl. with with 120 horsepower @ 5000 RPM and 140 lb-ft torque @ 3601
	Vortec 4300 V6 with 180 horsepower @ 4400 RPM and 245 lb-ft torque @ 2799
Transmission	Four-speed electronic automatic with overdrive
	Five-speed manual with overdrive
GVWR,† lbs	4,200
Payload,§ lbs	1,144
Max. Cargo Volume, cargo box,** cu ft	39.4
Fuel Tank Capacity, approx. in gallons	18.3
Seating Capacity	3

Regular Cab Long Box

Starting at MSRP*	\$16,855*
Engine Options	Vortec™ 2200 4 cyl. with with 120 horsepower @ 5000 RPM and 140 lb ft torque @ 3601
	Vortec 4300 V6 with 180 horsepower @ 4400 RPM and 245 lb ft torque @ 2800
Transmission	Four-speed electronic automatic with overdrive
GVWR,† lbs	4,900
Payload,§ lbs	1,744
Max. Cargo Volume, cargo box,** cu ft	48.1
Fuel Tank Capacity, approx. in gallons	18
Seating Capacity	3

Extended Cab

Starting at MSRP*	\$17,205*
Engine Options	Vortec™ 2200 4 cyl. with with 120 horsepower @ 5000 RPM and 140 lb-ft torque @ 3602
	Vortec 4300 V6 with 180 horsepower @ 4400 RPM and 245 lb-ft torque @ 2799
Transmission	Four-speed electronic automatic with overdrive

	Five-speed manual with overdrive
GVWR, [†] lbs	4,400
Payload, [§] lbs	1,180
Max. Cargo Volume, cargo box, ^{**} cu ft	39.4
Fuel Tank Capacity, approx. in gallons	18
Seating Capacity	4

*Manufacturer's Suggested Retail Price. Tax, title, license, dealer fees, and optional equipment extra.

†When properly equipped, includes weight of vehicle, passengers, cargo and equipment.

§Maximum payload capacity includes weight of driver, passenger, optional equipment and cargo.

**Cargo and load capacity limited by weight and distribution.

Capacities and weight ratings are dependent upon model, engine, transmission and GVWR combinations. See your GMC dealer for details.

GMC SONOMA 2WD SPECIFICATIONS – Mechanical

S = Standard

A = Available

N/A = Not Available

Description	SLS		
	SL 1SA pkg.	1SB pkg.	1SC pkg.
Cold Climate Package , includes engine block heater and heavy-duty battery, 690 cold-cranking amps 1 - Required in Alaska, Minnesota, Montana, North Dakota, and South Dakota. - Includes heavy-duty battery and (K05) Engine block heater	A ¹	A ¹	A ¹
Differential , locking, heavy-duty, rear 1 - Required with (LU3) Engine, Vortec 4300 V6 and (M50) Transmission, 5-speed manual. -Not available with (LN2) Engine Vortec 2200 L4. 2 - Required with (LU3) Engine, Vortec 4300 V6 and (M50) Transmission, 5-speed manual. -Required with(ZQ8) Suspension package, sport. - not available with (LN2) Engine, Vortec 2200 L4.	A ¹	A ¹	A ²
Suspension Package , Solid Smooth Ride (2WD Regular Cab, short box) 1 - Upgradeable to (Z85) Suspension package, Increased Capacity	A ¹	A ¹	N/A
Suspension Package , Increased Capacity, includes 1.26" (32 mm) twin-tube shocks and a 1.14" (29 mm) stabilizer bar (2WD Extended Cab only)	A	A	N/A
Suspension Package , Sport, includes (N96) 16" (40.6 cm) aluminum, 5-spoke and (QCB) Tires, all-season blackwall (2WD Regular Cab, Short box and 2WD Extended Cab)	N/A	N/A	A
Suspension Package , Increased Capacity, includes 1.26" (32 mm)			

twin-tube shocks and a 1.14" (29 mm) stabilizer bar (2WD Regular Cab, long box only)

1 - (Z85) Suspension package, Increased Capacity includes RPO (C5A) GVWR, 4900 lbs. (2223 kg) with (LU3) Engine, Vortec 4300 V6; includes (C5D) GVWR, 4600 lbs. (2087 kg) with (LN2) Engine, Vortec 2200 L4 | A¹ | A¹ | N/A

Transmission, 5-speed manual with overdrive (2WD Regular Cab, Short Box)

1 - Upgradeable to (M30) Transmission, 4-speed automatic. - Requires (LN2) Engine, Vortec 2200 L4 and (GT4) Rear axle, 3.73 ratio | A¹ | A¹ | A¹

Transmission, 4-speed automatic, electronically controlled with overdrive (2WD Regular Cab, long Box)

1 - Requires (LN2) Engine, Vortec 2200 L4 and (GT5) Rear axle, 4.10 ratio or (GU6) Rear axle, 3.42 ratio with (LU3) Engine, Vortec 4300 V6 | A¹ | A¹ | N/A

Transmission, 5-speed manual with overdrive (2WD Extended Cab)

1 - Upgradeable to (M30) Transmission, 4-speed automatic. - Requires (LN2) Engine, Vortec 2200 L4 and (GT5) Rear axle, 4.10 ratio | A¹ | A¹ | A¹

Transmission, 5-speed manual with overdrive (2WD Extended Cab)

1 - Requires (LU3) Engine, Vortec 4300 V6 and (GU4) Rear axle, 3.08 ratio. (G80) Differential, locking, heavy-duty, rear required with (M50) Transmission, 5-speed manual. - Not available with (AM6) Seats, front 60/40 split bench | A¹ | A¹ | A¹

Transmission, 5-speed manual with overdrive (2WD Regular Cab, short box)

1 - Requires (LU3) Engine, Vortec 4300 V6 and (GU4) Rear axle, 3.08 ratio. (G80) Differential, locking, heavy-duty, rear required with (M50) Transmission, 5-speed manual. - Not available with (AM6) Seats, front 60/40 split bench | N/A | A¹ | A¹

Transmission, 4-speed automatic, electronically controlled with overdrive (2WD Regular Cab, Short box and 2WD Extended Cab)

1 - Requires (LN2) Engine, Vortec 2200 L4 and (GT5) Rear axle, 4.10 ratio or (GU6) Rear axle, 3.42 ratio with (LU3) Engine, Vortec 4300 V6 | A¹ | A¹ | A¹

GMC SONOMA 2WD SPECIFICATIONS – Engines

S = Standard

A = Available

N/A = Not Available

Model	Engine	Transmission		
		M30 4-Speed Automatic with OD	M50 5-Speed Manual with OD	MW2 5-Speed Manual with OD
2WD Extended Cab	Vortec 2200	A	N/A	S
	Vortec 4300 V6	A	S	N/A
	Vortec 2200	A	N/A	S

2WD Regular Cab	Vortec 4300 V6	A	S	N/A
2WD Regular Cab, Long Box	Vortec 2200	S	N/A	N/A
	Vortec 4300 V6	A	S	N/A

GMC SONOMA 2WD SPECIFICATIONS – Dimensions

Dimensions	2WD Regular Cab, Short Box	2WD Extended Cab	2WD Regular Cab, Long Box
Wheelbase	108.3	122.9	117.9
Overall length	190	205.3	206
Body width	67.9	67.9	67.9
Overall height	62	62.7	62.9
Head room, front	39.5	39.5	39.5
Shoulder room, front	56.9	56.9	56.9
Hip room, front	53.6	51.6	53.6
Leg room, front	42.4	42.4	42.4
Tailgate width	N/A	N/A	54.9
Tailgate width, Sportside	41.4	41.4	N/A
Tailgate width, Fleetside	54.9	54.9	N/A
Cab to axle	37.4	37.4	47.1
Front bumper to axle	35.2	35.2	35.2
Rear bumper to back of cab	106	120.7	106
Ground to top of rear load floor	25.9	27.2	28.1
Inside length, at floor	72.4	72.8	88.3
Inside height	16.8	16.8	16.8
Inside width, at floor	N/A	N/A	54.9
Inside width, at floor, Sportside	51	51	N/A
Inside width, at floor, Fleetside	54.9	54.9	N/A
Inside width, between wheelhousing	N/A	N/A	40.3
Inside width, between wheelhousing, Sportside	39.5	39.5	N/A
Inside width, between wheelhousing, Fleetside	40.3	40.3	N/A
Inside width, rear at top	N/A	N/A	56.6
Inside width, rear at top, Sportside	51	51	N/A
Inside width, rear at top, Fleetside	56.6	56.6	N/A
Ground clearance, front	9.1	8.5	8.7

Ground clearance, rear	7.2	7.2	6.7
	9.5	9.5	9.5
	(241)	(241)	(241)
Sign panel area	x	x 66.5	x
	46.25	(1689)	46.25
	(1175)		(1175)

All dimensions in inches unless otherwise stated.

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

GMC SONOMA 2WD SPECIFICATIONS – Capacities

Capacities	2WD Extended Cab	2WD Regular Cab	2WD Regular Cab, Long Box
Front axle, lbs.	2500	2500	2500
Front spring capacity, lbs.	2500	2500	2500
Rear axle, lbs.	2900	2900	2900
Rear spring capacity, lbs.	2700	2300	2300
Curb weight, lbs.	3198	3016	3112
Cargo volume, cargo box, cu. ft.	39.4	39.4	48.1
Payload ¹ , lbs.	1202	1184	1488
Gross Vehicle Weight Rating (GVWR), lbs.	4400	4200	4600
Front Gross Axle Weight Rating (GAWR), lbs.	2500	2500	2500
Rear Gross Axle Weight Rating (GAWR), lbs.	2300	2300	2700
Fuel capacity, approximate, gallon	18	18	18
Seating capacity (front/rear)	3/1	3/0	3/0
Front shock absorber diameter, in.	1.26	1.26	1.26
Front stabilizer bar diameter, in.	1	1	1
Rear shock absorber diameter, in.	1.26	1.26	1.26
Rear stabilizer bar diameter, in.	1	1	1
Turning diameter, curb-to-curb, ft.	41.3	37	39.8

1. - Maximum payload capacity includes weight of driver, passengers, optional equipment and cargo.

GMC SONOMA 2WD SPECIFICATIONS – Wheels



4 - 15" x 7" (38.1 cm x 17.8 cm) aluminum, includes center caps



4 - 15" x 7" (38.1 cm x 17.8 cm) aluminum, cast, includes center caps



4 - 16" x 7" (40.6 cm x 17.8 cm) aluminum, 5-spoke, includes center caps

GMC SONOMA 2WD SPECIFICATIONS — Trailering

Automatic Transmission Ratings with Ball Hitch

Model	Vortec 2200 L4		Vortec 4300 V6	
	Axle Ratio	Maximum Trailer Weight lbs.	Axle Ratio	Maximum Trailer Weight lbs.
2WD Extended Cab	4.1	3,000	3.42	5,600
2WD Regular Cab	4.1	3,100	3.42	6,000
2WD Regular Cab, Long Box	-	-	3.42	5,900

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of option equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

Manual Transmission Ratings with Ball Hitch

Model	Vortec 2200 L4		Vortec 4300 V6	
	Axle Ratio	Maximum Trailer Weight lbs.	Axle Ratio	Maximum Trailer Weight lbs.
2WD Extended Cab	4.1	2,000	3.08	3,800

2WD Regular Cab	3.73	1,600	3.08	3,900
2WD Regular Cab, Long Box	-	-	3.08	3,900

Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of option equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

GMC SONOMA 2WD FEATURES & OPTIONS – Standard Equipment

S = Standard

A = Available

N/A = Not Available

Description	SL		SLS	
	1SA pkg.	1SB pkg.	1SC pkg.	
Air Bags , frontal, driver and right front passenger, includes passenger side deactivation switch	S	S	S	
Alternator , 100 amps	S	S	S	
Assist handle , front passenger	S	S	S	
Battery , heavy-duty, 525 cold-cranking amps, includes rundown protection	S	S	S	
Brakes , 4-wheel antilock, front disc/rear drum	S	S	S	
Daytime running lamps	S	S	S	
Door trim , with integral padded armrest, driver and passenger side map pockets	S	S	S	
Door , 3rd, driver-side 1 - Standard on 2WD Extended Cab only	S ¹	S ¹	S ¹	
Floor covering , rubberized vinyl	S	N/A	N/A	
Instrumentation , analog, includes speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer 1 - (U16) Instrumentation, tachometer included with (MW2) Transmission, 5- speed manual and (M50) Transmission, 5-speed manual. Optional with (M30) Transmission, 4-speed automatic	S ¹	S	S	
Lighting , with delayed entry	S	S	S	
Mirror , inside rearview, manual day/night, includes dual reading lights	S	S	S	
Power outlets , auxiliary, covered, (2), 12-volt 1 - One power outlet	S ¹	S	S	
Seat , passenger side rear jump (Extended Cab)	S	S	S	
Steering wheel , 4-spoke, deluxe, steel sleeve, includes theft-deterrent locking feature, Black	S	N/A	N/A	
Theft-deterrent system , PASSLock	S	S	S	
Visors , padded, color-keyed	S	N/A	N/A	
Visors , padded, color-keyed, illuminated vanity mirror, passenger-side	N/A	S	S	

Warning tones , headlamp on, key-in-ignition, driver safety belt unfasten, turn signal on	S	S	S
Windows , rear quarter swing-out (Extended Cab)	S	S	S
Wipers , intermittent, front, includes pulse washers	S	S	S

GMC SONOMA 2WD FEATURES & OPTIONS – Interior

S = Standard

A = Available

N/A = Not Available

Description	SL		SLS	
	1SA pkg.	1SB pkg.	1SC pkg.	
Air conditioning , front manual	A	A	A	
Convenience Package , Tilt-Wheel and cruise control	A	A	A	
Convenience Package , power windows and door locks, programmable, with lighted switches and driver's express-down window, (DK2) Mirrors, outside rearview, foldaway, power, heated and Keyless entry, remote	N/A	A	A	
Floor covering , color-keyed carpeting	N/A	A	A	
Floormats , includes front rubberized vinyl floormats on Regular and Extended Cab models 1 - Requires (B30) Floor covering, color-keyed carpeting	N/A	A ¹	A ¹	
Instrumentation , tachometer 1 - Included with (MW2) Transmission, 5- speed manual and (M50) Transmission, 5-speed manual. Optional with (M30) Transmission, 4-speed automatic	A ¹	A	A	
Seats , front 60/40 split-bench, manual reclining, integral outboard head restraints, armrests with integral storage, dual cupholders (2WD Regular Cab, short box and 2WD Regular Cab, long box) 1 - Upgradeable to (AV5) Seats, front high-back reclining buckets. - Not available with (M50) Transmission, 5-speed manual.	A	A ¹	A ¹	
Seats , front high-back reclining buckets, includes manual driver and passenger recliners, integral head restraints, floor console (2WD Regular Cab, short box and 2WD Regular Cab, long box)	N/A	A	A	
Seats , front high-back reclining buckets, includes manual driver and passenger recliners, integral head restraints, floor console (2WD Extended Cab)	A	A	A	
Seats , front 60/40 split-bench, manual reclining, integral outboard head restraints, armrests with integral storage, dual cupholders (2WD Extended Cab) 1 - Upgradeable to (AV5) Seats, front high-back reclining buckets. - Not available with (M50) Transmission, 5-speed manual.	A ¹	A ¹	A ¹	
Sound system , ETR AM/FM stereo with 6-disc CD changer, includes seek-and-scan, digital clock and auto-tone control, speed-compensated volume, TheftLock and Radio Data System (RDS)	N/A	A	A	
Sound system , ETR AM/FM stereo, includes seek-and-scan and digital clock 1 - Upgradeable to (UN0) Sound system, ETR AM/FM stereo with CD	A ¹	N/A	N/A	

player

Sound system, ETR AM/FM stereo with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock and Radio Data System (RDS)

1 - Upgradeable to (UP0) Sound system, ETR AM/FM stereo with CD player and cassette or (UC6) Sound system, ETR AM/FM stereo with 6-disc CD changer

A | A¹ | A¹

Sound system, ETR AM/FM stereo with CD player and cassette, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock and Radio Data System (RDS)

N/A | A | A

Steering wheel, leather-wrapped rim, Black, steel sleeve, includes theft-deterrent locking feature

N/A | A | A

Sunroof, power, tilt-sliding

1 - Requires (LN2) Engine, Vortec 2200 L4 MFI on (TS10603). Not available on 2WD Regular Cab, long box (TS10803).

2 - Requires (LN2) Engine, Vortec 2200 L4 MFI on (TS10603).

A¹ | A¹ | A²

Window, rear sliding

A | A | A

GMC SONOMA 2WD FEATURES & OPTIONS – Exterior

S = Standard

A = Available

N/A = Not Available

Description	SL		SLS	
	1SA pkg.	1SB pkg.	1SC pkg.	
Bumpers , front and rear, body color, step, includes step pad	A	A	A	
Fog lamps , front, halogen, incorporated into headlamp assembly	N/A	A	A	
Glass , Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger)	N/A	A	A	
Mirrors , outside rearview, foldaway, manual, Black, below eye-line, adjustable heads	A	A ¹	A ¹	
1 - Upgradeable to (DK2) Mirrors, outside rearview, foldaway, power, heated with (ZQ6) Convenience Package				
Mirrors , outside rearview, foldaway, power, heated	N/A	A ¹	A ¹	
1 - Included with (ZQ6) Convenience Package.				
Pickup bed , Sportside	N/A	A ¹	A ¹	
1 - Not available with 2WD Regular Cab, Long Box				
Pickup bed , Fleetside, all-welded steel with double wall construction and corrosion protection	A	A ¹	A ¹	
1 - Upgradeable to (E62) Pickup bed, sportside except for 2WD Regular Cab, Long Box				
Special Equipment Package , bed extender	A	A	A	
Special Equipment Package , natural brushed aluminum bed rails				
1 - Not available with (PDW) Special equipment package, soft tonneau cover, (PDU) Special equipment package, hard lockable tonneau cover, Not available with 2WD Regular Cab, Long Box	A ¹	A ¹	A ¹	
Special Equipment Package , hard lockable tonneau cover				
1 - Not available with (PDW) Special equipment package, soft tonneau				

cover, (PDB) Special equipment package, natural brushed aluminum bed rails. Not available with 2WD Regular Cab, Long Box	A ¹	A ¹	A ¹
Special Equipment Package , soft tonneau cover 1 - Not available with (PDB) Special equipment package, natural brushed aluminum bed rails, or (PDU) Special equipment package, hard lockable tonneau cover. Not available with 2WD Regular Cab, Long Box	A ¹	A ¹	A ¹
Special Equipment Package , trailer hitch 1 - Requires (LU3) Engine, Vortec 4300 V6. - Not available with (E62) Pickup bed, sportside	A ¹	A ¹	A ¹
Tire , spare, compact, located at rear underbody of vehicle. 1 - Upgradeable to (ZCE) Tire, spare all-season, blackwall or (ZCA) Tire, spare all-season, white outlined-letter	A ¹	A ¹	A
Tire , spare all season, white outlined-letter. 1 - Requires (QCA) Tires, all-season, white outlined-letter	A ¹	A ¹	N/A
Tire , spare all-season, blackwall, located at rear underbody of vehicle 1 - Requires (QCE) Tires, all-season, blackwall	A ¹	A ¹	N/A
NEW! Tires , all-season, white outlined-letter	A	A	N/A
Tires , all-season, blackwall	N/A	N/A	A
Tires , all-season, blackwall 1 - Upgradeable to (QCA) Tires, all-season, white outlined-letter	A ¹	A ¹	N/A
ZRX Appearance Package , Street Rider, includes power sunroof, bed rails, door and sill plate decals (all TecStar installed) and (AV5) Seats, front high-back reclining buckets 1 - Requires (E62) Pickup bed, Sportside. Not available with (E63) Pickup bed, Wideside, (PDU) Special Equipment Package, hard lockable tonneau cover, (PDW) Special Equipment Package, soft tonneau cover, (PDB) Special Equipment Package, natural brushed aluminum bed rails, (PCX) Special Equipment Package, bed extender and (PDZ) Special Equipment Package, trailer hitch. (AM6) Seats, front 60/40 split-bench can replace (AV5) Seats, front high-back reclining buckets as a no cost option.	N/A	N/A	A ¹

GMC SONOMA 2WD FEATURES & OPTIONS – Safety

Steel-reinforced Side Crumple Front and Rear Crush Zones:

The Sonoma's front and rear crush zones mean that are designed to help protect the passenger and driver will have added protection by absorbing and channeling crash energy to help preserve occupant space in the event of a collision.

Dual Front Air Bags*:

Sonoma features standard dual front Air Bags for the driver and front passenger. In addition, the passenger-side air bag can be disabled when carrying children.

Four-Wheel Antilock Disc Brakes:

Sonoma comes equipped with a standard four-wheel antilock braking system (ABS). ABS helps you maintain steering control on most slippery surfaces while applying maximum braking effort.

* Air bag off switch for use when carrying children. Always use safety belts and proper child restraints. See Owner's Manual for more safety information. Air bag off switch is not available on Crew Cab models. Children are safer when properly secured in a rear seat.

