GMC | SIERRA 1500 | FEATURES & SPECIFICATIONS

S Standard A Available – Not Available

Spring & Axle Capacities

	Regular Cab			Extended Cab		Crew Cab
	Standard Box	Long Box	Short Box	Standard Box	Long Box	Short Box
Front axle, lbs. (2WD)	3150	3150	3600	3600	3600	3650
Front axle, lbs. (4WD)	3925	3925	3925	3925	3925	3925
Front spring capacity, lbs. (2WD)	3476	3150	3739	3739	4416	3925
Front spring capacity, lbs. (4WD)	3925	3925	3925	3925	3925	4416
Rear axle, lbs. (2WD)	3750	3750	3686	3750	3750	4000
Rear axle, lbs. (4WD)	3750	3750	3750	3750	3750	4000
Rear spring capacity, lbs. (2WD)	3686	3686	3686	3686	3686	4000
Rear spring capacity, lbs. (4WD)	3750	3750	3750	3750	3750	4000

Weight Capacities

Capacities	Regular Cab			Extended Cab		Crew Cab
	Standard Box	Long Box	Short Box	Standard Box	Long Box	Short Box
Gross Vehicle Weight Rating (GVWR), lbs. (2WD)	6100	6400	6200	6200	6400	6900
Gross Vehicle Weight Rating (GVWR), lbs. (4WD)	6400	6400	6400	6400	6400	7000
Curb weight, lbs. (2WD)	4211	4348	4760	4625	4894	4987
Curb weight, lbs. (4WD)	4508	4634	5050	5050	5232	5284
Payload, lbs. (2WD)	1889	2052	1440	1575	1506	1913
Payload, lbs. (4WD)	1892	1766	1350	1382	1216	1716

Interior Comfort & Convenience

	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Air conditioning, manual, dual-zone, individual climate settings for driver and right front passenger	S	S	S	S	–	–
Air conditioning, automatic, dual-zone, individual climate settings for driver and right front passenger (Not available on Regular Cab or with Snow Plow Prep Package)	–	–	–	A	S	S
Console, floor, includes storage compartment and dual cupholders, only	–	–	–	–	S	S

available with front reclining bucket seats						
Console, overhead mini, includes map lights (1 - Not available with power sunroof)	–	–	S	S	S[1]	S[1]
Console, overhead deluxe, (1- Requires power sunroof option)	–	–	–	–	A[1]	A[1]
Cruise control, electronic with set and resume speed	A	S	S	S	S	S
Defogger, rear-window, electric (Not available with rear-sliding window) (1 - Only available with Fleet and Government order types)	A[1]	A	A	S	S	S
Door locks, power programmable (1-Only available with Fleet and Government order types)	A[1]	A	S	S	S	S
Driver Information Center	S	S	S	S	S	S
Instrumentation, analog, includes trip odometer, oil pressure and tachometer	S	S	S	S	S	S
Keyless entry, remote, includes 2 transmitters, panic button and content theft alarm	–	–	S	S	S	S
Lighting, interior, illuminated entry, door-handle activated	S	S	S	S	S	S
Mirror, inside rearview, manual day/night	S	S	S	–	–	–
Mirror, inside rearview, light-sensitive auto dimming, 8-point compass and outside temperature indicator	–	–	–	S	S	S
OnStar, with 1-year Safe and Sound Service (Requires Steering Wheel Mounted Radio Controls)†	–	–	–	A[1]	A[1]	A[1]
Onstar Plus Package, includes XM Satellite Radio, OnStar and Steering Wheel mounted radio controls (Available on Extended and Crew Cab models only)	–	–	–	A	A	A
Power outlets, auxiliary, covered, 2 dash-mounted, 12-volt	S	S	S	S	S	S
Steering column, tilt-wheel, adjustable	S	S	S	S	S	S
Steering wheel, leather-wrapped rim	–	–	–	S	S	S
Steering wheel mounted radio controls, provides access to enhanced Driver Information Center and radio features and information	–	–	–	A	A	S
Sunroof, power (Includes Universal Home Remote)	–	–	–	–	A	A
Universal Home Remote, programmable to operate garage door openers and other compatible electronic devices (Requires power sunroof option)	–	–	–	–	A	A
Visors, extenders with pocket on driver side and vanity mirror on passenger side	S	S	S	S	S	S
Windows, power, includes driver express-down	–	–	S	S	S	S
Windows, rear quarter swing-out (Standard with Extended Cab Models only)	S	S	–	S	S	S
Windows, rear-sliding, manual, deep tinted	A	A	A	A	A	A

Engines

Engine Options for Regular Cab Models	Trim Level			Horsepower	Torque (lb-ft.)
	Work Truck	SL 2SA	SLE 3SA		
Vortec™ 4300 V6 (1 - Standard on 2WD models)	S	S[1]	–	195	260
Vortec 4800 V8 (1-Standard on 4WD models)	A	S[1]	S	285	295
Vortec 5300 V8	A	A	A	295	335
Vortec 5300 V8 with Flexible Fuel with E85 flexible-fuel capability	A	A	A	295	335

Engine Options for Extended Cab Models	Trim Level					Horsepower	Torque (lb-ft.)
	Work Truck	SL 2SA	SLE 3SA	SLE 3SB	SLE 4SB		
Vortec 4300 V6 (Requires 2WD Standard Box model)	A	A	A	–	–	195	260
Vortec 4800 V8 Standard on Standard Box (1 - Not available on Short Box models)	A	A	A[1]	–	–	285	295
Vortec 5300 V8 (1 - Not available on Standard Box models) (2 - Not available on 4WD Standard Box model)	A	A	A[1]	S[2]	S[2]	295	335
Vortec 5300 V8, aluminum block with steel cylinder sleeves (Requires 4WD Standard Box model)	A	A	A	A	A	310	335
Vortec 5300 V8 Flexible Fuel with E85 flexible- fuel capability (Requires Standard or Long Box models)	A	A	A	A	A	295	335
Vortec High-Output 6000 V8 (Requires VortecMax Performance Pack or Sierra Performance Edition)	–	–	A	A	A	345	380

Engine Options for Crew Cab Models	Trim Level				Horsepower	Torque (lb-ft.)
	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA		
Vortec 4800 V8	S	–	–	–	285	295
Vortec 5300 V8	–	S	S	S	295	335
Vortec High-Output 6000 V8 (Requires VortecMax Performance Pack or Sierra Performance Edition)	–	A	A	A	345	380

Sound System / Entertainment

	Reg / Ext Cab		Crew Cab	Reg / Ext and Crew Cab	Ext / Crew Cab	
	Work	SL	SL	SLE	SLE	SLT

	Truck	2SA	2SB	3SA	3SB	4SA
AM/FM stereo, includes seek-and-scan and digital clock	S	–	–	–	–	–
AM/FM stereo, with CD player, includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume, TheftLock, Radio Data System and 4-speakers on Regular Cab and 6-speakers on Extended and Crew Cab Models	A	S	S	S	S	–
AM/FM stereo, with CD and cassette player (4-speakers on Regular Cab and 6-speakers on Extended Cab Models)	–	–	–	A	A	–
AM/FM stereo, with 6-disc CD changer	–	–	–	–	A	S
DVD Entertainment system, rear seat, (1-Only available on Crew Cab models)	–	–	–	–	A	A
Rear audio controls, includes dual headphone jacks (headphones not included), power outlet and controls for volume, station selection and media (Only available on Crew Cab models)	–	–	–	–	S	S
XM Satellite Radio (Subscription fees apply)	–	–	–	A	A	A
Bose Premium Speaker System	–	–	–	A	A	S

Exterior Accessories

	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Note: Regular production accessories can be ordered through your dealer at the time of vehicle purchase. The cost of these accessories and dealer installation will be included in your final price.						
Assist steps, chrome plated tubular, stainless steel	A	A	A	A	A	A
Assist steps, black coated tubular, stainless steel	A	A	A	A	A	A
Assist steps, black molded plastic (1-Available on Crew Cab models only)	–	–	A	A[1]	A[1]	A[1]
Pickup bed extender, brushed aluminum (1-Not available with Sportside box)	A	A[1]	A	A	A	A
Pickup bed protectors, top side rails, black molded (1-Not available with short box)	A	A	–	A[1]	A[1]	A[1]
Tonneau cover, black, soft (Not available with Pickup bed protectors)	A	A	A	A	A	A
Tonneau cover, black, hard, folding, lockable (Not available with Pickup bed protectors)	A	A	A	A	A	A

Exterior Dimensions

	Regular Cab	Extended Cab	Crew Cab

	Standard Box	Long Box	Short Box	Standard Box	Long Box	Short Box
Note: All dimensions in inches.						
Cab to axle	41.9	55.9	32.46	41.9	55.9	41.9
Cargo volume, cargo box, cu. ft.	56.9	73.9	49.6	56.9	73.9	49.6
Body width	78.5	78.5	78.5	78.5	78.5	78.5
Front bumper to axle	36.9	36.9	36.9	36.9	36.9	37.0
Front bumper to back of cab	114	114	138.5	138.5	138.5	148.1
Ground clearance, front (2WD)	10.6	9.1	8.0	8.0	8.0	8.1
Ground clearance, front (4WD)	8.4	10.6	8.7	8.7	8.4	8.7
Ground clearance, rear (2WD)	13.6	12.1	8.3	8.3	8.3	8.1
Ground clearance, rear (4WD)	13.6	13.6	8.6	8.6	8.6	8.7
Ground to top of rear load floor (2WD)	31.6	31.6	31.6	31.6	31.6	31.6
Ground to top of rear load floor (4WD)	33.7	33.7	33.7	33.7	33.7	33.7
Inside bed length, at floor (2WD)	78.6	97.6	69.2	78.6	97.6	69.2
Inside bed length, at floor (4WD)	78.7	97.6	69.2	78.7	97.6	69.2
Inside bed height (2WD)	19.5	19.5	19.5	19.5	19.5	19.5
Inside bed height (4WD)	19.5	19.5	19.5	19.5	19.5	19.5
Inside bed width, at floor, Wideside Box (2WD)	64.8	64.8	60.2	64.8	64.8	60.2
Inside bed width, at floor, Wideside Box(4WD)	64.8	64.8	60.2	64.8	64.8	60.2
Inside bed width, between wheelhousing	50.0	50.0	50.0	50.0	50.0	50.0
Overall height (2WD)	71.2	71	71.2	71.2	70.8	72.6
Overall height (4WD)	73.8	73.7	73.9	73.9	73.7	75.0
Overall length	205.7	224.5	220.2	230.2	249.0	230.2
Rear bumper to axle	47.0	52.0	47.0	47.0	52.0	47.0
Wheelbase	119.0	133.0	134.0	143.5	157.5	143.5

Exterior Features

	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Bumper, front, chrome (1-Includes gray lower with Work Truck and SL models) (2-	S[1]	S[1]	S[2]	S[2]	S[2]	S[2]

Includes body-color lower on Crew Cab models)						
Bumper, rear, painted	S	–	–	–	–	–
Bumper, rear, chrome	A	S	S	S	S	S
Fog lamps, front, halogen	–	–	–	S	S	S
Glass, Solar-Ray light tinted, all windows	S	S	S	–	–	–
Glass, Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger)	A	A	A	S	S	S
Grille, gray surround	S	–	–	–	–	–
Grille, chrome surround	–	S	S	S	S	S
Headlamps, dual halogen composite, includes automatic lamp control	S	S	S	S	S	S
Lamps, dual cargo area	S	S	S	S	S	S
Mirrors, side, foldaway, manual, black, adjustable heads	S	S	–	–	–	–
Mirrors, side, power mirror with manual folding, power heated, black	–	–	S	S	S	–
Mirrors, side, power folding, power, heated, black, driver side light-sensitive auto dimming, turn signal in glass and curb-tilt (Curb-tilt feature requires steering wheel mounted controls)	–	–	–	A	A	S
Mirrors, side, camper-style, manual, foldaway, extendable, includes dual segment mirror on driver side for wide angle capacity	A	A	–	–	–	–
Mirrors, side, camper-style (Not available on Crew Cab models)	–	–	–	A	A	A
Mirrors, side, vertical camper-style, power adjustable glass, heated, manual folding and extending, includes turn signal indicators and lower convex spotter glass	–	–	–	A	A	A
Sierra Special Edition Package, includes Light Duty Performance Package, high performance suspension, 20" x 8.5" cast aluminum chromed 5-spoke wheels and touring blackwall tires (Extended and Crew cab models only. Not available with Long Box or two-tone paint)	–	–	–	A	A	A
Moldings, bodyside, black	–	S	–	–	–	–
Moldings, bodyside with bright inserts	–	–	S	S	S	S
Recovery hooks, 2 front, frame-mounted	S	S	S	S	S	S
Tailgate protection, top of tailgate protection cap	S	S	S	S	S	S
Wheel flares, front and rear (Requires 4WD models. Not available with Sierra Special Edition Package.)†	–	–	–	A	A	A
Wipers, intermittent, front, with pulse washers	S	S	S	S	S	S

Fuel Economy

	Engines	Fuel Economy** (city / hwy)	Fuel Tank Capacity (gallons)		
			Short	Standard	Long

			Box	Box	Box
2WD Models with 4-speed Automatic Transmission	Vortec™ 4300 V6	16/21	26	26	34
4WD Models with 4-speed Automatic Transmission	Vortec 4300 V6	15/18	26	26	34
2WD Models with 4-speed Automatic Transmission	Vortec 4800 V8	16/21	26	26	34
4WD Models with 4-speed Automatic Transmission	Vortec 4800 V8	15/19	26	26	34
2WD Models with 4-speed Automatic Transmission	Vortec 5300 V8	16/20	26	26	34
4WD Models with 4-speed Automatic Transmission	Vortec 5300 V8	15/19	26	26	34
2WD Models with 5-speed Manual Transmission	Vortec 4300 V6	16/22	26	26	34
4WD Models with 5-speed Manual Transmission	Vortec 4300 V6	15/20	26	26	34
2WD Models with 5-speed Manual Transmission	Vortec 4800 V8	16/21	26	26	34
4WD Models with 5-speed Manual Transmission	Vortec 4800 V8	15/19	26	26	34

Interior Accessories

	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	**SL 2SA**	**SL 2SB**	**SLE 3SA**	**SLE 3SB**	**SLT 4SA**
Note: Regular production accessories can be ordered through your dealer at the time of vehicle purchase. The cost of these accessories and dealer installation will be included in your final price.†						
Underseat storage, lockable rear (Not available with chrome or black Assist Steps or hard Tonneau Cover) (Requires Extended Cab Standard or Long Box models)	A	A	–	A	A	A

Interior Dimensions

	Regular Cab	Extended Cab	Crew Cab
Note: All dimensions in inches.			
Head room, front	41.0	41.0	40.7
Head room, rear	–	38.4	40.2
Hip room, front	63.9	61.4	61.4
Hip room, rear	–	61.4	62.9
Leg room, front	41.3	41.3	41.3
Leg room, rear	–	33.7	39.1
Shoulder room, front	61.4	65.2	65.2
Shoulder room, rear	–	66.3	65.1

Mechanical

	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Air cleaner, high-capacity	A	A	A	A	A	A
Alternator, 145 amps	S	S	S	S	S	S
Alternator, 160 amps (Available only with Snow Plow Prep Package)	A	A	–	A	–	–
Battery, heavy-duty, 600 cold-cranking amps	S	S	S	S	S	S
Cooling, external transmission oil cooler, auxiliary, heavy-duty air-to-oil (Requires 4-speed automatic transmission)	A	A	A	A	A	A
Engine block heater	A	A	A	A	A	A
Exhaust, aluminized stainless-steel muffler and tailpipe	S	S	S	S	S	S
Light Duty Power Package (1-Requires Extended Cab models)	A[1]	A	–	A	A	A
Sierra Performance Edition, includes Vortec 6000 high-output V8, 4-speed automatic transmission, 3.73 ratio rear axle, high-performance suspension package, locking rear differential, electronic traction assist system, external transmission oil cooler, heavy-duty trailering equipment, 20" cast aluminum, chromed 5-spoke wheels, steering wheel mounted radio controls (Available on 2WD Extended Cab Standard Box model only)	–	–	–	A	A	A
Sierra Special Edition, includes Light Duty Performance Package, 3.73 ratio rear axle, 20" cast aluminum, chromed, 5-spoke wheels, steering wheel mounted radio controls. 4WD models include Z71 Off-Road Suspension Package without "Z71" decals or skid plates. (Available on Extended Cab Short Box, Standard Box, and Crew Cab Short Box models only)	–	–	–	A	A	A
VortecMax Performance Pack, includes Vortec 6000 high-output V8, "VortecMax" engine cover and door badging, 4-speed automatic heavy-duty transmission, 4.10 rear axle ratio, locking rear differential, ride-control suspension package, external engine oil cooler, external auxiliary transmission oil cooler, heavy-duty trailering equipment (Requires 17" polished cast aluminum wheels) (Available on Extended Cab Standard Box and Crew Cab Short Box models only)	–	–	–	A	A	A

Safety

	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Air bags, driver and right front-passenger front air bags with Passenger Sensing System†	S	S	S	S	S	S

Brakes, 4-wheel antilock, front hydraulic disc and rear drum	S	S	S	S	S	S
Daytime running lamps, includes automatic exterior lamp control	S	S	S	S	S	S
OnStar, with 1-year Safe and Sound Service§	–	–	–	A	A	A
Theft-deterrent system, PASSlock II	S	S	S	S	S	S

Seating

Seating Options	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Floor covering, Graphite-colored rubberized vinyl	S	A	–	A	–	–
Floor covering, color-keyed carpeting and rubberized vinyl floormats (with Extended Cab and Crew Cab, includes rear floormats)	A	S	S	S	S	S
Front seat, 40/20/40 split-bench, 3-passenger, driver and passenger manual reclining (Available in vinyl and cloth)	S	A	–	–	–	–
Front seat, 40/20/40 split-bench, 3-passenger, driver and passenger manual reclining, center fold-down armrest with storage (Custom Cloth)	A	S	S	S	–	–
Front seat, reclining buckets, includes power driver 6-way seat adjuster (Available in Custom Cloth and leather seating surfaces)	–	–	–	–	S	–
Front seat, power reclining full-feature buckets, heated driver and passenger cushion and back, driver and passenger power lumbar, dual inboard armrests, 2-position driver-side memory (Leather seating surfaces)	–	–	–	–	–	S
Rear seat, bench, folding, 3-passenger (includes child seat top tether anchor) (Not available with Regular Cab models)	S[1]	S[1]	S	S[1]	S	S
Seat adjuster, power, driver 6-way	–	–	–	A	S	S
Seat adjuster, power, front passenger 10-way	–	–	–	–	–	S

Seating Capacity	Regular Cab	Extended Cab	Crew Cab
Seating capacity, (maximum)	3	6	6

Steering & Suspension

Turning Diameter	Regular Cab			Extended Cab		Crew Cab
	Standard Box	Long Box	Short Box	Standard Box	Long Box	Short Box
Turning diameter, curb-to-curb, ft. (2WD)	40.1	42.4	44	45.3	50.4	47.3
Turning diameter, curb-to-curb, ft. (4WD)	38.9	42.9	44	45.8	51.1	46.6

Features	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Differential, locking, rear	A	A	A	A	A	A
Skid Plate Package, (Requires 4WD models)	A	A	A	A	A	A
Suspension, front, independent (2WD models include coil springs, 4WD models include torsion bars)	S	S	S	S	S	S
Suspension, rear, semi-elliptic 2-stage multi-leaf springs (Standard with Regular and Extended Cab models only)	S	S	–	S	S	S
Suspension, rear, 3-stage springs (Standard on Crew Cab models only)	–	–	S	S	S	S
Suspension Package, Handling/Trailering, includes heavy-duty 36mm monotube shocks	A	A	S	S	S	S
Suspension Package, Off-Road, includes 46 mm shocks, off-road jounce bumpers, stabilizer bars, Skid Plate Package, air cleaner, high capacity and Z71 decals (Requires 4WD models and Light Duty Power Package)	–	–	–	A	A	A
Suspension Package, Ride-Control, manual selectable, includes electronic control for shock setting and smooth-road/trailering (Not available on Extended Cab Short Box and Crew Cab models without VortecMax Performance Pack)	–	–	–	A	A	A
Suspension Package, Solid Smooth Ride, includes 35mm piston twin tube shocks	S	S	–	A	–	–
Traction assist system, electronic (Requires 2WD models and locking rear differential)	–	A	A	A	A	A
Transfer case, floor-mounted shifter (Standard with 4WD models only)	S	S	S	–	–	–
Transfer case, electronic Autotrac, includes push-button controls (4WD models only)	–	–	–	S	S	S

Tires & Wheels

Wheels



17" x 7" 6-lug steel, painted, includes painted center caps and steel spare (Standard on Work Truck models only)

17" x 7.5" 6-lug chrome-styled steel, includes chrome center caps and steel spare (Standard on Base and SLE models)





17" x 7.5" 6-lug aluminum, includes steel spare (Standard on SLT and Available on SLE models)



17" x 7.5" 6-lug polished cast aluminum, includes steel spare (Available on SLE and SLT models)

Tires	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Note: Standard and optional tires depend on the Sierra model and suspension selected. See your GMC dealer for details.						
P245/70R17, all-season, blackwall (Requires 2WD models)	S	S	S	S	S	S
P245/70R17, all-season, white outlined-letter (Requires 2WD models)	A	A	–	A	A	A
P265/70R17, all-season, blackwall (Standard on 4WD Regular and Extended Cab models only)	S	S	–	S	S	S
P265/70R17, all-season, white outlined-letter, includes a blackwall spare tire (Available on 4WD Regular and Extended Cab models only)	A	A	–	A	A	A
P265/70R17, on-/off-road, blackwall (Available on 4WD models only)	–	–	S	A	A	A
P265/70R17, on-/off-road, white outlined-letter, includes a blackwall spare tire (Available on 4WD models only)	–	–	–	A	A	A
LT245/70R17, all-terrain, blackwall, 6 ply-load range C (Requires 4WD with Handeling/trailering Suspension Package)	A	A	–	A	A	A
Spare, full-size, 17" with steel wheel located at rear underbody of vehicle	S	S	S	S	S	S
Tire carrier, outside spare, under frame at rear	S	S	S	S	S	S
Tools, mechanical jack and wheel wrench, spare tire assist hook, floor-mounted in back of cab	S	S	S	S	S	S

Spare tire lock, keyed cylinder lock that utilizes same key as ignition and door	A	A	A	A	A	A

Towing Capacity

Automatic Transmission Ratings with Ball Hitch	Vortec™ 4300 V6		Vortec 4800 V8		Vortec 5300 V8		Vortec 6000 V8	
	Axle Ratio	Max Trailer/ Towing Capacity lbs.**	Axle Ratio	Max Trailer/ Towing Capacity lbs.**	Axle Ratio	Max Trailer/ Towing Capacity lbs.**	Axle Ratio	Max Trailer/ Towing Capacity lbs.**
Reg Cab Standard Box 2WD	3.23	5000	3.23 3.73	6400 7400	3.23 3.73	7400 8400	–	–
Reg Cab Long Box 2WD	3.23	4800	3.23 3.73	6200 7200	3.23 3.73	7200 8200	–	–
Reg Cab Standard Box 4WD	3.73	5100	3.42 3.73 4.10	7100 7100 8100	3.42 3.73 4.10	8100 8100 9100	–	–
Reg Cab Long Box 4WD	3.73	5000	3.42 3.73 4.10	6900 6900 7900	3.42 3.73 4.10	7900 7900 8900	–	–
Ext Cab Short Box 2WD	–	–	–	–	3.23 3.73	7000 8000	–	–
Ext Cab Standard Box 2WD	3.23 3.73	4600 5100	3.23 3.73	5900 6900	3.23 3.73	6900 7900	–	–
Ext Cab Standard Box 2WD with Sierra Performance Edition	–	–	–	–	–	–	3.73	7800
Ext Cab Standard Box 2WD with VortecMax Performance Pack	–	–	–	–	–	–	3.73	10400
Ext Cab Long Box 2WD	–	–	3.23 3.73	5800 6800	3.23 3.73	6800 7800	–	–
Ext Cab Short Box 4WD	–	–	–	–	3.42 3.73 4.10	7700 7700 8700	–	–
Ext Cab Standard Box 4WD	–	–	3.42 3.73 4.10	6700 6700 7700	3.42 3.73 4.10	7700 7700 8700	–	–
Ext Cab Standard Box with VortecMax Performance Pack	–	–	–	–	–	–	4.10	10000
Ext Cab Long Box 4WD	–	–	3.42 3.73 4.10	6500 6500 7500	3.42 3.73 4.10	7500 7500 8500	–	–
Crew Cab Short Box 2WD	–	–	–	–	3.23 3.73	6700 7700	–	–
Crew Cab Short Box								

2WD with VortecMax Performance Pack	–	–	–	–	–	–	3.73	10100
Crew Cab Short Box 4WD	–	–	–	–	3.42 3.73 4.10	7400 7400 8400	–	–
Crew Cab Short Box 4WD with VortecMax Performance Pack	–	–	–	–	–	–	4.10	9900

Manual Transmission Ratings with Ball Hitch	**Vortec 4300 V6**		**Vortec 4800 V8**	
	Axle Ratio	**Max Trailer/Towing Capacity lbs.****	**Axle Ratio**	**Max Trailer/Towing Capacity lbs.****
Reg Cab Standard Box 2WD	3.23	4000	3.23 3.73	4400 5400
Reg Cab Long Box 2WD	3.23	3800	3.23 3.73	4200 5200
Reg Cab Standard Box 4WD	3.73	4100	3.42 4.10	5100 6100
Reg Cab Long Box 4WD	3.73	4000	3.42 4.10	4900 5900

Automatic Transmission Ratings with 5th Wheel or Gooseneck Hitch	**Vortec 4800 V8**		**Vortec 5300 V8**	
	Axle Ratio	**Max Trailer/Towing Capacity lbs.****	**Axle Ratio**	**Max Trailer/Towing Capacity lbs.****
Reg Cab Standard Box 2WD	3.23 3.73	6400 7400	3.23 3.73	7400 8400
Reg Cab Long Box 2WD	3.23 3.73	6200 7200	3.23 3.73	7200 8200
Reg Cab Standard Box 4WD	3.42 3.73 4.10	7100 7100 7300	3.42 3.73 4.10	7300 7300 7300
Reg Cab Long Box 4WD	3.42 3.73 4.10	6900 6900 7900	3.42 3.73 4.10	7900 7900 8300
Ext Cab Standard Box 2WD	3.23 3.73	5900 6800	3.23 3.73	6800 6800
Ext Cab Long Box 2WD	3.23 3.73	5800 6800	3.23 3.73	6800 7600
Ext Cab Standard Box 4WD	3.42 3.73 4.10	6700 6700 6900	3.42 3.73 4.10	6900 6900 6900

Features	**Reg/Ext Cab**		**Crew Cab**	**Reg/Ext and Crew Cab**	**Ext/Crew Cab**	
	Work Truck	**SL 2SA**	**SL 2SB**	**SLE 3SA**	**SLE 3SB**	**SLT 4SA**
Cooling, external transmission oil cooler (Requires 4-speed automatic transmission)	A	A	A	A	A	A
Snow Plow Prep Package (Requires 4WD Regular Cab models)	A	A	–	A	–	–
Trailering equipment, heavy-duty, includes trailer hitch platform, 7-wire						

harness, electric trailer brake controller, high capacity air cleaner, and external transmission oil cooler	A	A	A	A	A	A
Trailering wiring provisions, for camper, 5th wheel and gooseneck trailer, includes additional 8-way wiring harness and added 7-way sealed connector (Requires Heavy Duty Trailering Equipment) (Not available on Crew Cab or Extended Cab Short Box models)	A	A	–	A	A	A

Transmissions & Axles

	Reg/Ext Cab		Crew Cab	Reg/Ext and Crew Cab	Ext/Crew Cab	
	Work Truck	SL 2SA	SL 2SB	SLE 3SA	SLE 3SB	SLT 4SA
Rear axle, 3.23 ratio (Standard on 2WD models only)	A	A	A	A	A	A
Rear axle, 3.42 ratio (Standard on 4WD models only)	A	A	–	A	A	A
Rear axle, 3.73 ratio (Crew Cab models require 4WD. On 4WD Regular and Extended Cab models, requires Sierra Special Edition)	A	A	A	A	A	A
Rear axle, 4.10 ratio (Requires 4WD models and Locking Rear Differential)	A	A	–	A	A	A
Transmission, 4-speed automatic, electronically controlled with overdrive and tow/haul mode (1 - Standard with Extended Cab and 4WD Regular Cab models)	A[1]	A[1]	S	S	S	S
Transmission, 5-speed manual with overdrive (Requires Regular Cab models. Standard on 2WD Regular Cab models only)	A	A	–	–	–	–

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

**Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of option equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

†One-year OnStar® Safe and Sound service agreement required. Call 1-888-4-ONSTAR or visit www.OnStar.com for system limitations and details.

For information on how to order after market accessories, visit the GMC Accessories Zone.

† Wheel flares are black on all models except for SLE and SLT models in the following colors where the flares match the exterior paint color: Sand Beige Metallic, Polo Green Metallic, Summit White, Silver Birch Metallic, and Carbon Metallic.

For information on how to order after market accessories, visit the GMC Accessories Zone.

**Based on EPA estimates.

†Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owner's Manual for more safety information.

§One-year OnStar® Safe and Sound service agreement required. Call 1-888-4-ONSTAR or visit www.OnStar.com for system limitations and details.