

GMC | CANYON | FEATURES & SPECIFICATIONS

S Standard **A** Available **—** Not Available

Spring & Axle Capacities

	Regular Cab		Extended Cab		Crew Cab	
	2WD	4WD	2WD	4WD	2WD	4WD
Front axle , lbs.	2533	2753	2533	2753	2533	2753
Front spring capacity , lbs.	2535	2755	2535	2755	2535	2755
Rear axle , lbs.	2900	2900	2900	2900	2900	2900
Rear spring capacity , lbs.	2900	2900	2900	2900	2900	2900

Weight Capacities

	Regular Cab		Extended Cab		Crew Cab	
	2WD	4WD	2WD	4WD	2WD	4WD
Gross Vehicle Weight Rating (GVWR), lbs.	4850	5150	5000	5300	5000	5300
Curb weight , lbs.	3402	3715	3567	3877	3783	4062
Payload , lbs.	1547	1535	1532	1523	1316	1338

Interior Comfort & Convenience

	Reg /Ext Cab		Reg/Ext and Crew Cab		Regular Cab	Ext /Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Air conditioning , manual, front	S	S	S	S	S	S
Comfort Convenience Package , tilt-wheel and cruise control	S	S	S	S	S	S
Door locks , manual (1 - Regular and Extended Cab models only)	S	S	S ¹	—	—	—
Instrumentation , analog, includes trip odometer, oil pressure, tachometer, Driver Information Center	S	S	S	S	S	S
Mirror , inside rearview, prismatic	S	S	S	—	—	—
Mirror , inside rearview, manual day/night includes dual reading lights (1-only available with OnStar)	—	—	A	S	A ¹	A ¹
Mirror , inside rearview, electrochromic (light-sensitive auto dimming), includes map lights, compass and outside temperature indicator (1 - Not available with OnStar)	—	—	—	—	S ¹	S ¹
OnStar , Includes 1-year Safe and Sound Service (Requires Power Convenience Package) [†]	—	—	A	A	A	A
Power Convenience Package , Includes power windows and door locks, programmable; mirrors, outside, driver and passenger; keyless entry, remote and mirrors,	—	—	A	S	S	S

inside rearview (Standard on Crew Cab)						
Power outlets , auxiliary, dual, covered, 12-volt	S	S	S	S	S	S
Steering wheel , 4-spoke	S	S	—	—	—	—
Steering wheel , leather-wrapped	—	A	S	S	S	S
Sun and Sound Package , includes sunroof and Am/FM stereo with 6-disc changer stereo	—	—	A	A	A	A
Sunroof , power, tilt-sliding	—	A	A	A	A	A
Value Leader Package , includes fog lamps, leather wrapped steering wheel, and floor covering (1-Requires Z85 Heavy Duty Suspension Package)	—	A ¹	—	—	—	—
Visors , padded, cloth, passenger-side, includes vanity mirror,	S	S	S	S	S	S
Window , rear sliding	A	A	A	A	S	S
Windows , manual, driver and front passenger	S	S	S	—	—	—

Engines

Engine Options for All Canyon Models	Reg/Ext Cab		Reg/Ext and Crew Cab		Regular Cab	Ext/Crew Cab	Horsepower	Torque (lb.-ft.)
	Work Truck	SL 2SA	SLE 3SA	SLE 3SB	SLE 3SC	SLT 4SA		
Vortec™ 2800 Inline 4-cylinder (1-Only regular and extended cabs)	S	S	S	S ¹	—	—	175	185
Vortec 3500 Inline 5-cylinder (1-Standard on; y on crew cab models, available on regular and extended cab models)	A	—	A	A	S ¹	S	220	225

Sound System / Entertainment

	Reg/Ext Cab		Reg/Ext and Crew Cab		Regular Cab	Ext/Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
AM/FM stereo , includes seek-and-scan and digital clock	S	S	—	—	—	—
AM/FM stereo, with CD/MP3 player , includes seek-and-scan, digital clock, auto-tone control, speed-compensated volume and Radio Data System	A	A	S	S	S	S
AM/FM stereo, with 6-disc CD changer (1- Requires Sun and Sound Package)	—	—	A ¹	A	A	A
XM Satellite Radio (Requires AM/FM stereo with CD/MP3 player or 6-disc CD changer)	—	A	A	A	A	A

Exterior Accessories

	Reg /Ext Cab		Reg /Ext and Crew Cab		Regular Cab	Ext /Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Note: Regular production accessories can be ordered through your dealer at the time of vehicle purchase. The cost of these accessories and dealer installation will be included in your final price.						
Assist steps , chrome, tubular (Not Available on Z71 High-Stance Suspension Package)	—	A	A	A	A	A
Assist steps , brushed aluminum (Not Available on Z71 High-Stance Suspension Package)	—	A	A	A	A	A
Bed extender , brushed aluminum	A	A	A	A	A	A
Bed rail protectors , side, molded (Not available with hard or soft tonneau covers)	A	A	A	A	A	A
Running boards (Not Available on Z71 High-Stance Suspension Package)	—	A	A	A	A	A
Splash guards , molded, Dark Smoke Gray	A	A	A	A	A	A
Tailgate edge protector , molded	A	A	A	A	A	A
Tonneau cover , hard, lockable. (Not available with bed rail protectors)	A	A	A	A	A	A
Tonneau cover , soft, includes "GMC" logo (Not available with bed rail protectors)	A	A	A	A	A	A

Exterior Dimensions

	Regular Cab		Extended Cab		Crew Cab	
	2WD	4WD	2WD	4WD	2WD	4WD
Note: All dimensions in inches unless otherwise stated.						
Body width	67.6	68.6	67.6	68.6	67.6	68.6
Cab to axle	34.2	34.2	34.2	34.2	22.6	22.6
Cargo volume , cargo box, cu. ft.	44	44	44	44	37	37
Front bumper to axle	33.9	33.9	33.9	33.9	33.9	33.9
Front bumper to back of cab	110.9	110.9	125.6	125.6	137.3	137.3
Ground to top of rear load floor	27.5	29.6	27.5	29.6	27.5	29.6
Inside length , at floor	72.8	72.8	72.8	72.8	61.1	61.1
Inside height	18.6	18.6	18.6	18.6	18.6	18.6
Inside width , at floor, Fleetside	57.2	57.2	57.2	57.2	57.2	57.2
Inside width , between wheelhousing, Fleetside	42.6	42.6	42.6	42.6	42.6	42.6
Overall height	65.5	67.6	65.5	67.6	65.2	67.9
Overall length , without rear bumper	192.4	192.4	207.1	207.1	207.1	207.1

Tailgate width, Fleetside	52.4	52.4	52.4	52.4	52.4	52.4
Wheelbase	111.3	111.3	126	126	126	126

Exterior Features

	Reg /Ext Cab		Reg /Ext and Crew Cab		Regular Cab	Ext /Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Bumpers , front and rear, chrome	S	S	S	S	S	S
Fog lamps , front, halogen	-	A	A	A	S	S
Glass , Solar-Ray deep tinted (all windows except light tinted glass on windshield, driver and front passenger) (Available on Regular Cab models)	A	A	A	S	S	S
Mirrors , side, power, folding (1-Crew Cab models only. Available on Regular and Extended Cab models with the Power Convenience Package))	-	-	S ¹	S	S	S
Mirrors , side, manual foldaway (1-Regular and Extended Cab models only)	S	S	S ¹	-	-	-
Moldings , bodyside, dark smoke gray	A	A	A	A	A	A
Pickup box , Fleetside, all-welded steel with double wall construction and corrosion protection with tailgate, 6 cargo tie-downs on the regular and extended cab models and 8 cargo tie-downs on crew cab models, locking, 2-position	-	S	S	S	S	S
Pickup Bed mat 1 - 2WD Regular Cab models only	-	S	-	-	-	-
Recovery hooks , 2 front, frame-mounted (Available on 4WD Models with Z71 Heavy-Duty suspension package only)	A ¹	A ¹	A ¹	A ¹	S	S
Tailgate , locking, 2-position	S	S	S	S	S	S
Trailer hitch , includes wiring harness (1-Standard with 2WD Reg Cab models when 3500 5-cylinder engine and 5-speed manual transmission with overdrive are ordered. Included with Work Ready Package)	-	S ¹	A ¹	A ¹	A	A
Wheel flares , small, front and rear, body-color (1 - Included on 4WD models with Z85 Suspension Package, Heavy-Duty)	-	A ¹	A ¹	A ¹	A ¹	A ¹
Wheel flares , large, front and rear, body-color (1-Only available with Z71 High-Stance Suspension Package. Not available with exterior color Sunburst Orange Metallic)	-	A ¹	A ¹	A ¹	A ¹	A ¹
Wipers , intermittent, front, includes pulse washers	S	S	S	S	S	S

Fuel Economy

	Engines	Fuel Economy**	Fuel Tank
--	---------	----------------	-----------

		(city / hwy)		Capacity (gallons)
		Reg. / Ext Cab	Crew Cab	
2WD Models with 4-Speed Automatic Transmission	Vortec™ 2800 Inline 4-cylinder	17/23	17/23	19
2WD Models with 4-Speed Automatic Transmission	Vortec 3500 Inline 5-cylinder	19/24	19/24	19
4WD Models with 4-Speed Automatic Transmission	Vortec 2800 Inline 4-cylinder	16/22	16/22	19
4WD Models with 4-Speed Automatic Transmission	Vortec 3500 Inline 5-cylinder	18/22	17/22	19
2WD Models with 5-Speed Manual Transmission	Vortec 2800 Inline 4-cylinder	20/27	20/27	19
2WD Models with 5-Speed Manual Transmission	Vortec 3500 Inline 5-cylinder	19/25		19
4WD Models with 5-Speed Manual Transmission	Vortec 2800 Inline 4-cylinder	18/23	18/23	19
4WD Models with 5-Speed Manual Transmission	Vortec 3500 Inline 5-cylinder	19/24		19

Interior Accessories

	Reg / Ext Cab		Reg / Ext and Crew Cab		Regular Cab	Ext / Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Note: Regular production accessories can be ordered through your dealer at the time of vehicle purchase. The cost of these accessories and dealer installation will be included in your final price.						
Floor mats , carpeted, molded, includes front and rear (Requires color-keyed carpeting)						

Interior Dimensions

	Regular Cab	Extended Cab	Crew Cab
Note: All dimensions in inches unless otherwise stated.			
Head room , front	39.6	39.6	39.6
Head room , rear		37.9	38.3
Hip room , front	53.3	53.3	53.3
Hip room , rear		57.6	52.9
Leg room , front	42.2	42.2	42.2
Leg room , rear		23.1	34.8
Shoulder room , front	57.1	57.1	57.1
Shoulder room , rear		57.2	57.1

Mechanical

	Reg / Ext Cab	Reg / Ext and Crew Cab	Regular Cab	Ext / Crew Cab

	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Alternator , 100 amps	S	S	S	S	S	S
Battery , heavy-duty, 690 cold-cranking amps, includes rundown protection	S	S	S	S	S	S
Engine block heater	A	A	A	A	A	A

Safety

	Reg /Ext Cab		Reg /Ext and Crew Cab		Regular Cab	Ext /Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Air bags , frontal, driver and right front passenger, includes passenger sensing system [†]	A	A	A	A	A	A
Air bags , driver and right front-passenger side-impact air bags, includes passenger sensing system [†]	A	A	A	A	A	A
Brakes , 4-wheel antilock, front disc/rear drum	S	S	S	S	S	S
Daytime running lamps , includes automatic exterior lamp control	S	S	S	S	S	S
LATCH system , Lower Anchors and Top Tethers for Children	S	S	S	S	S	S
OnStar , 1-year Safe and Sound Service (Requires the Power Convenience Package and inside rearview mirrors. Not available with inside rearview electrochromic mirror) [§]	-	-	A	A	A	A
Theft-deterrent system , PASSlock	S	S	S	S	S	S

Seating

	Reg /Ext Cab		Reg /Ext and Crew Cab		Regular Cab	Ext /Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Floor covering , rubberized vinyl	S	S	-	-	-	-
Floor covering , color-keyed carpeting (Available on Extended and Crew Cabs models only)	A	A	S	S	S	S
Front seat , Vinyl, 60/40 split-bench	S	-	-	-	-	-
Front seat , SL Cloth, 60/40 split-bench	A	S	S	-	-	-
Front seat , SLE Deluxe Cloth, 60/40 split-bench, manual reclining, integral outboard head restraints, armrest with integral storage and dual cupholders. (1- Requires Cloth Trim on Crew Cab models)	-	-	S	A ¹	A ¹	-
Front seat , reclining buckets, includes head restraint, manual recliners, center console with storage and armrest. (1- Adjustable head restraint available with leather	-	-	-	S ¹	S ¹	S ¹

seating surfaces only. Leather seating surfaces available on Extended and Crew Cab SLT models only)

Rear jump seat, forward facing, flat folding, includes rear seat storage compartment- Extended Cabs only (1- Requires color keyed carpeting)

¹ ¹ ¹   

Rear seat, 2nd row, 60/40 split-bench, flat-folding (1- Available on Crew Cab models only)

   ¹  ¹

Seat adjuster, power with heated seats, driver 8-way includes power lumbar and recliner, passenger 6-way includes manual lumbar and recliner (Only available with Extended and Crew Cab models, leather trim and Power Convenience Package)

     

	Regular Cab	Extended Cab	Crew Cab
Seating capacity , (maximum)	3	5	6

Steering & Suspension

Turning Diameter	Regular Cab	Extended Cab	Crew Cab
Turning diameter , curb-to-curb, ft.	40.7	44.3	44.3

Features	Reg /Ext Cab		Reg /Ext and Crew Cab		Regular Cab	Ext /Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Differential, automatic, locking, rear						
Front Underbody Shield (Requires 4WD models)						
Steering , power, rack-and-pinion						
Z85 Suspension , Heavy-Duty						
Z71 Suspension , High Stance Off-Road						
ZQ8 Suspension , Sport (Requires 2WD)						
Suspension , front, torsion bars (Standard on 4WD models with Z85 Heavy-Duty suspension system only)						
Suspension , front, independent coil springs (Standard on 2WD models only)						
Suspension , rear, semi-floating axle with 2-stage multi-leaf springs						
Traction Control , electronic (Available on 2WD models only)						
Transfer case , Insta-Trac, electronic shift, with dash-mounted controls (Standard on 4WD models only)						

Tires & Wheels

Wheels

15" x 7" aluminum, cast (High Stance Off-Road Z71 models only)



15" x 6.5" aluminum (Heavy Duty Z85 2WD models only)



15" x 6.5" aluminum (Heavy Duty Z85 4WD models only)



15" x 6" steel (Work Truck Only)



Image to come

17" aluminum (Sport Suspension ZQ8 2WD models only)

Tires	Reg /Ext Cab		Reg /Ext and Crew Cab		Regular Cab	Ext /Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Note: Standard and optional tires depend on the Canyon model and suspension selected. See your GMC dealer for details.						
P205 / 75R15 , all-season, blackwall (2WD models only)						
P225 / 75R15 , all-season, blackwall (2WD models only)						
P235 / 75R15 , all-season, blackwall (4WD models only)						
P235 / 75R15 , all-season, blackwall (4WD models only)						
P265 / 75R15 , on-/off-road, blackwall						
Spare, compact , located at rear						

underbody of vehicle. (Not available with Z71 High-Stance Suspension Package)						
Spare P205 / 75R15 , all-season, blackwall (Only available with 2WD on Extended Cab models)						
Spare P235 / 75R15 , all-season, blackwall (4WD Models Only)						
Spare P225 / 75R15 , all-season, blackwall, located at rear underbody of vehicle, includes 15" x 6.5" aluminum wheel. 2WD models only. (1-Requires Z85 suspension package)			 ¹	 ¹	 ¹	 ¹
Spare P235 / 75R15 , all-season, blackwall, located at rear underbody of vehicle, includes steel wheel (4WD models only)						

Towing Capacity

Automatic Transmission Ratings with Ball Hitch	Vortec™ 2800 Inline 4-cylinder		Vortec 3500 Inline 5-cylinder	
	Axle Ratio	Max Trailer / Towing Capacity lbs.**	Axle Ratio	Max Trailer / Towing Capacity lbs.**
Regular Cab 2WD	3.73	3300	3.42 3.73	4000 4000
Regular Cab 4WD	3.73 4.10	3000 3000	3.42 3.73 4.10	4000 4000 4000
Extended Cab 2WD	3.73	3100	3.42 3.73	4000 4000
Extended Cab 4WD	3.73 4.10	2900 2900	3.42 3.73 4.10	4000 4000 4000
Crew Cab 2WD	3.73	2900	3.42 3.73	4000 4000
Crew Cab 4WD	3.73 4.10	2700 2700	3.42 3.73 4.10	4000 4000 4000

Manual Transmission Ratings with Ball Hitch	Vortec 2800 Inline 4-cylinder		Vortec 3500 Inline 5-cylinder	
	Axle Ratio	Max Trailer / Towing Capacity lbs.**	Axle Ratio	Max Trailer / Towing Capacity lbs.**
Regular Cab 2WD	3.42 3.73	1800 2300	3.42 3.73	3200 3700
Regular Cab 4WD	3.73 4.10	2000 2000	3.42 3.73 4.10	3000 3500 3500
Extended Cab 2WD	3.42 3.73	1600 2100	3.42 3.73	3100 3600
Extended Cab 4WD	4.10	1900	3.42 3.73 4.10	2800 3300 3300
Crew Cab 2WD	3.42 3.73	1400 1900	 	 
Crew Cab 4WD	4.10	1700	 	 

Features	Reg / Ext Cab		Reg / Ext and Crew Cab		Regular Cab	Ext / Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA

automatic, locking, rear differential
(Requires traction assist system on
2WD models)



Transmissions & Axles

	Reg / Ext Cab		Reg / Ext and Crew Cab		Regular Cab	Ext / Crew Cab
	Work Truck	SL 2SA	SLE-1 3SA	SLE-2 3SB	SLE-3 3SC	SLT 4SA
Rear axle , 3.42 ratio						
Rear axle , 4.10 ratio						
Rear axle , 3.73 ratio						
Transmission , 4-speed automatic, electronically controlled with overdrive						
Transmission , 5-speed manual with overdrive						

Published dimensions indicated are without optional equipment or accessories. Additional accessories or equipment ordered at the customer's request can result in a minor change in these dimensions.

**Maximum trailer ratings are calculated assuming standard equipped vehicle, driver and required trailering equipment. The weight of option equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. 10 to 15% of the trailer weight is the recommended trailer tongue load.

For information on how to order after market accessories, visit the [GMC Accessories Zone](#).

†One-year OnStar® Safe and Sound service agreement required. Call 1-888-4-ONSTAR or visit www.OnStar.com for system limitations and details.

For information on how to order after market accessories, visit the [GMC Accessories Zone](#).

†Always use safety belts and proper child restraints, even with air bags. Children are safer when properly secured in a rear seat. See the Owner's Manual for more safety information.

§One-year OnStar® Safe and Sound service agreement required. Call 1-888-4-ONSTAR or visit www.OnStar.com for system limitations and details.