

A high-contrast, black and white close-up photograph of the front of a Bentley Continental GT. The image focuses on the central diamond-patterned grille, which is flanked by two round headlights. The Bentley winged 'B' logo is visible at the top of the grille. The car's body panels are highly reflective, showing bright highlights and deep shadows that emphasize its curves and metallic finish. The background is dark and out of focus, suggesting an indoor setting like a showroom or garage.

2008

S-TYPE



Look closely at the JAGUAR S-TYPE. In a world heading toward uniformity, HERE is a *sensual symbol* of distinction and *beauty*, of UNIQUE LINES and enduring resonances. A car that looks FORWARD with its technological innovation, yet already has ACHIEVED an iconic aura.



In the following pages, you'll catch just a glimpse of the s-TYPE's *classic craft*, engineering, and *luxury*. And when you're through looking, then it's time to fully experience the timeless wonders of either the 3.0 v6, the 4.2 v8, or the super-exhilarating, supercharged s-TYPE R. Each model with its OWN UNIQUE PERSONALITY, in a marque renowned for its *truly distinctive character*.





GORGEOUS KNOWS A RACING HEART.

A Jaguar that wears the R badge wears it proudly. It displays an unambiguous passion for pure muscle balanced with graceful beauty. To wear the R badge is to stand on the shoulders of Jaguar's Seven Le Mans 24 hour race wins. A race as much about heart as it is about technology. Technology that beats beneath the R's subtle styling cues: the muscular stance, the mesh grille, the alloy wheels. Indeed, with the R, form follows function, very, very quickly. And exhilaration is right behind.

FOR ANY DRIVER, THE S-TYPE R IS...ASTONISHING.

Purposeful styling cues – large front air intakes, discreet rear spoiler, and stainless steel exhaust tips – promise excitement. Interior appointments – front-heated R leather seating surfaces, classical wood accents, Alpine® Premium Sound, navigation system with 7" color touchscreen, and Bluetooth® Wireless Technology – elevate comfort. But what truly forges this car's identity is its thrilling performance and handling. Its 4.2-liter, 400-hp engine with intercooled supercharger. ZF 6-speed automatic transmission. Independent wishbone suspension with tuned Computer Active Technology Suspension (CATS) damping. 4-wheel anti-lock disc brakes with yaw control. 19" Barcelona alloy wheels with massive Z-rated performance tires. And a top speed electronically limited to 155 mph.

PERFORMANCE

AN URGE TO LIFT THE HOOD IS UNDERSTANDABLE.

Even quiet, the S-TYPE is muscled, toned, primed. Ignited, it leaves no doubt. With confident exhaust note, surging power when you wish, and smoothness and grace in traffic, it creates an unmistakable, alluring music. There are three S-TYPE power plants –

3.0 - LITER V6, 4.2 - LITER V8

AND SUPERCHARGED

4.2 - LITER V8, DELIVERING 400 HORSEPOWER.

All aluminum alloy, with four valves per cylinder, double variable-phase overhead cams, electronic fuel injection, and intercooled blower on the S-TYPE R. All machined to a state of art. All promising dynamic and galvanizing driving moments, made even more dramatic by their sporting prowess.





INTERIOR

THE INTERIOR OF THE S-TYPE IS A TRUE SOURCE OF OPULENCE.

Sumptuous leather appointments, distinctively piped.

Signature exotic wood treatments on the dashboard, steering wheel, and shift lever.

Deep, enveloping carpets.

Beautiful sound.

Thoughtfully placed controls that fall naturally to hand.


Everything crafted to the finest Jaguar degree. With the S-TYPE, there is always a frank expectation of comfort and response. And the car does not disappoint.

SAFETY

IS A CONCEPT BRED INTO THE BONES OF THE JAGUAR S-TYPE.

It's an uncompromising approach to occupant welfare that allows drivers – and passengers – to feel protected in all situations. And from all sides.

From 4-wheel anti-lock disc brakes with yaw control. From emergency brake assist, which measures the rate at which brake pressure increases, and in an emergency braking situation automatically initiates the full braking effect, helping to reduce stopping distance. From crumple zones and an occupant protection cell built into the car's architecture. From energy-absorbing seating. From 3-point safety belts and pretensioners at all five seating positions. From a system of dual-stage front, side, and curtain airbags. From the Adaptive Restraint Technology System (A.R.T.S.) that measures front passenger size and position to deliver appropriate airbag response – updating every 50 milliseconds. From Lower Anchors and Tethers for Children (LATCH) and rear-door child safety locks. From available automatic-on, self-leveling xenon headlamps. And from available Adaptive Cruise Control (ACC) with forward alert on the S-TYPE R. Be assured.



» **STEERING WHEEL**

The S-TYPE's multifunction steering wheel besides directing progress, also puts cruise, audio, and telephone controls at your fingertips, allowing you to focus on the road ahead.



» **HEADLIGHTS**

Not only do these available auto-leveling xenon headlamps brightly illuminate nighttime roads, they also turn on and off by themselves.



» **TOUCHSCREEN**

The available vivid 7" color touchscreen controls a number of S-TYPE functions, including available DVD-based navigation, so you can find your own way, or the nearest gas station or italian restaurant.

» **LEATHER SEATING**

Under the soft, lush leather trim, you'll find heated and electronically adjustable seating – 12-way for passenger and 16-way with memory settings for driver.



TECHNICAL SPECIFICATIONS

	S-TYPE 3.0 V6	S-TYPE 4.2 V8	S-TYPE 4.2 R
ENGINE			
Type	60° V6, aluminum-alloy cylinder head/block. DOHC, 4 valves per cylinder, Variable Cam Phasing	90° V8, aluminum-alloy cylinder head/block. DOHC, 4 valves per cylinder, Variable Cam Phasing	90° V8, aluminum-alloy cylinder head/block. DOHC, 4 valves per cylinder, intercooled supercharger, Variable Cam Phasing
Bore	3.50 in. (89.0 mm)	3.39 in. (86.0 mm)	3.39 in. (86.0 mm)
Stroke	3.13 in. (79.5 mm)	3.56 in. (90.3 mm)	3.56 in. (90.3 mm)
Displacement	3.0 liter	4.2 liter	4.2 liter
Compression ratio	10.5:1	11.0:1	9:1
Fuel injection	Electronic fuel injection	Electronic fuel injection	Electronic fuel injection
Ignition	Electronic	Electronic	Electronic
Engine control	Electronic throttle	Electronic throttle	Electronic throttle
Horsepower (SAE)	235 @ 6800 rpm	300 @ 6000 rpm	400 @ 6100 rpm
Maximum torque (SAE)	216 lb.-ft. @ 4100 rpm	310 lb.-ft. @ 4100 rpm	413 lb.-ft. @ 3500 rpm
PERFORMANCE			
0–60 mph (0–100 km/h)	7.5 sec. (7.9 sec.)	6.2 sec. (6.5 sec.)	5.3 sec. (5.6 sec.)
Maximum speed	121 mph (194 km/h), electronically limited	121 mph (194 km/h), electronically limited	155 mph (249km/h), electronically limited
DRIVETRAIN			
Transmission	ZF 6-speed automatic, ZF6HP26	ZF 6-speed automatic, ZF6HP26	ZF 6-speed automatic, ZF6HP26
Final drive	3.31:1	2.87:1	2.87:1
SUSPENSION			
Front	Independent aluminum double wishbone design with concentric steel coil springs and shock absorbers. Anti-roll bar	Independent aluminum double wishbone design with concentric steel coil springs and shock absorbers. Anti-roll bar	R Performance–tuned enhanced Computer Active Technology Suspension (eCATS)
Rear	Independent aluminum double wishbone design with concentric steel coil springs and shock absorbers. Anti-roll bar	Independent aluminum double wishbone design with concentric steel coil springs and shock absorbers. Anti-roll bar	R Performance–tuned enhanced Computer Active Technology Suspension (eCATS)

TECHNICAL SPECIFICATIONS

	S-TYPE 3.0 V6	S-TYPE 4.2 V8	S-TYPE 4.2 R
BRAKES			
System	Electronically controlled Anti-lock Brake System (ABS) with yaw control. Active brake booster. Independent front and rear diagonal-split hydraulic circuits incorporating fluid-loss warning sensor. Electronic Parking Brake (EPB)	Electronically controlled Anti-lock Brake System (ABS) with yaw control. Active brake booster. Independent front and rear diagonal-split hydraulic circuits incorporating fluid-loss warning sensor. Electronic Parking Brake (EPB)	Electronically controlled Anti-lock Brake System (ABS) with yaw control. Active brake booster. Independent front and rear diagonal-split hydraulic circuits incorporating fluid-loss warning sensor. Electronic Parking Brake (EPB)
Front	Ventilated discs, 12.0 in. x 1.18 in. (305 mm x 30 mm)	Ventilated discs, 12.83 in. x 1.18 in. (305 mm x 30 mm)	Ventilated discs, 13.98 in. x 1.26 in. (355 mm x 32 mm)
Rear	Ventilated discs, 11.8 in. x 0.79 in. (300 mm x 20 mm)	Ventilated discs, 11.8 in. x 0.79 in. (300 mm x 20 mm)	Ventilated discs, 12.83 in. x 0.79 in. (326 mm x 20 mm)
Hoses	Steel-braided	Steel-braided	Steel-braided
WHEELS			
Size and style	18 x 8 in. alloy, Triton	18 x 8 in. alloy, Vulcan	19 x 8 in./19 x 9.5 in. alloy, Barcelona
Tires	P245/40 HR 18	P245/40 HR 18	Front: P245/35 ZR 19 Rear: P275/30 ZR 19
STEERING			
Type	Power-assisted, speed-sensitive, variable-ratio rack-and-pinion	Power-assisted, speed-sensitive, variable-ratio rack-and-pinion	Power-assisted, speed-sensitive, variable-ratio rack-and-pinion
Turning circle	37 ft. 8 in. (11.5 m)	37 ft. 8 in. (11.5 m)	37 ft. 8 in. (11.5 m)
EXTERIOR DIMENSIONS			
Length	193.1 in. (4905 mm)	193.1 in. (4905 mm)	193.1 in. (4905 mm)
Height	57.0 in. (1447 mm)	57.0 in. (1447 mm)	57.0 in. (1447 mm)
Width with mirrors	81.1 in. (2060 mm)	81.1 in. (2060 mm)	81.1 in. (2060 mm)
Width with mirrors folded	71.6 in. (1818 mm)	71.6 in. (1818 mm)	71.6 in. (1818 mm)
Track	Front: 60.4 in. (1534 mm) Rear: 60.7 in. (1542 mm)	Front: 60.4 in. (1534 mm) Rear: 60.7 in. (1542 mm)	Front: 60.4 in. (1534 mm) Rear: 60.7 in. (1542 mm)
Wheelbase	114.5 in. (2909 mm)	114.5 in. (2909 mm)	114.5 in. (2909 mm)
Coefficient of drag (Cd)	0.31	0.31	0.31
Vehicle weight (curb weight)	3760 lbs. (1705 kg)	3868 lbs. (1754 kg)	4075 lbs. (1848 kg)

TECHNICAL SPECIFICATIONS

EXTERIOR DIMENSIONS

Permitted roof load
Permitted trailer load

S-TYPE 3.0 V6

165 lbs. (75 kg)
1654 lbs. (750 kg) (unbraked)¹
4079 lbs. (1850 kg) (braked)¹

INTERIOR DIMENSIONS

Headroom with moonroof

Shoulder room

Legroom

Front: 38.6 in. (980 mm)
Rear: 36.4 in. (925 mm)
Front: 56.4 in. (1432 mm)
Rear: 56.7 in. (1440 mm)
Front: 43.1 in. (1095 mm)
Rear: 37.7 in. (957 mm)

CAPACITIES

Trunk (MVMA)

Fuel

14.1 cu. ft. (400 L)
28.6 cu. ft. (810 L) with rear seat folded
18.4 gal. (69.5 L)

S-TYPE 4.2 V8

165 lbs. (75 kg)
1654 lbs. (750 kg) (unbraked)¹
4079 lbs. (1850 kg) (braked)¹

Front: 38.6 in. (980 mm)
Rear: 36.4 in. (925 mm)
Front: 56.4 in. (1432 mm)
Rear: 56.7 in. (1440 mm)
Front: 43.1 in. (1095 mm)
Rear: 37.7 in. (957 mm)

14.1 cu. ft. (400 L)
28.6 cu. ft. (810 L) with rear seat folded
18.4 gal. (69.5 L)

S-TYPE 4.2 R

165 lbs. (75 kg)
1654 lbs. (750 kg) (unbraked)¹
4079 lbs. (1850 kg) (braked)¹

Front: 38.6 in. (980 mm)
Rear: 36.4 in. (925 mm)
Front: 56.4 in. (1432 mm)
Rear: 56.7 in. (1440 mm)
Front: 43.1 in. (1095 mm)
Rear: 37.7 in. (957 mm)

14.1 cu. ft. (400 L)

18.4 gal. (69.5 L)

¹Up to maximum 12% gradient

STANDARD FEATURES

	S-TYPE 3.0 V6	S-TYPE 4.2 V8	S-TYPE 4.2 R
MECHANICAL			
3.0 liter, 235-hp V6 engine	•		
4.2 liter, 300-hp V8 engine		•	
4.2 liter, 400-hp supercharged engine			•
4-wheel disc brakes with Anti-lock Brake System (ABS)	•	•	•
Dynamic Stability Control (DSC)	•	•	•
Electronic Parking Brake (EPB)	•	•	•
Emergency Brake Assist (EBA)	•	•	•
Power-assisted, speed-sensitive, variable-ratio rack-and-pinion steering	•	•	•
Traction Control (TC)	•	•	•
SAFETY AND SECURITY			
2-stage unlock to allow driver-only entry	•	•	•
3-point safety belts at all five seating positions	•	•	•
Adaptive Restraint Technology System (A.R.T.S.)	•	•	•
Anti-theft engine immobilizer	•	•	•
Child-seat safety-belt locking	•	•	•
Drive-away locking feature	•	•	•
Dual-stage front airbags and side, seat-mounted airbags for front occupants ¹	•	•	•
Emergency release in trunk	•	•	•
Energy-absorbent seat system	•	•	•
Front and rear safety belt pretensioners	•	•	•
Height-adjustable front safety belts	•	•	•
Lower Anchors and Tethers for Children (LATCH) child-seat-tethered anchorages	•	•	•
Rear-door child-safety locks	•	•	•
Side-impact curtain airbags for front and rear ¹	•	•	•
Valet lockout feature for trunk and glove box	•	•	•
Vehicle security system with remote entry and visible verification feature	•	•	•

• Standard ◦ Optional

¹Always wear your safety belt and secure children in the rear seat

²Optional heated windshield available in Canada

³The 18" Vulcan wheel is a no-cost option for the R model and is fitted with performance tires

⁴The 19" Barcelona wheel and tire assembly is of low profile with a bias toward sporting attributes.

Wheel and tire assemblies with low tire sidewall height will be more susceptible to impact damage in service

⁵Optional in Canada

STANDARD FEATURES

EXTERIOR TRIM AND FEATURES

Automatic on/off headlamps with variable time delay
 Body-colored grille surround and bumper blades
 Body-colored mirror caps
 Bright exterior mirror trim
 Bright-finish grille surround, trunk plinth and bumper blades
 Bright leaper hood ornament
 Bright wire mesh grille insert
 Dark window surrounds
 Front Park Control (FPC)
 Functional rear spoiler
 Moonroof with one-touch tilt/slide
 Power-adjustable, heated door mirrors²
 Reverse Park Control (RPC)
 R Performance brakes and calipers
 Stainless steel exhaust tips

WHEELS AND TIRES

18" Triton alloy wheels with P245/40 HR 18 all-season tires
 18" Vulcan alloy wheels with front P245/40 HR 18 all-season tires³
 19" Barcelona alloy wheels with front P245/35 ZR 19
 and rear P275/30 ZR 19 performance tires⁴

	S-TYPE 3.0 V6	S-TYPE 4.2 V8	S-TYPE 4.2 R
Automatic on/off headlamps with variable time delay	•	•	•
Body-colored grille surround and bumper blades			•
Body-colored mirror caps			•
Bright exterior mirror trim	•	•	○
Bright-finish grille surround, trunk plinth and bumper blades	•	•	○
Bright leaper hood ornament	•	•	•
Bright wire mesh grille insert	•	•	•
Dark window surrounds			•
Front Park Control (FPC)	○	•	•
Functional rear spoiler			•
Moonroof with one-touch tilt/slide	•	•	•
Power-adjustable, heated door mirrors ²	•	•	•
Reverse Park Control (RPC)	•	•	•
R Performance brakes and calipers			•
Stainless steel exhaust tips			•
18" Triton alloy wheels with P245/40 HR 18 all-season tires	•		
18" Vulcan alloy wheels with front P245/40 HR 18 all-season tires ³		•	○*
19" Barcelona alloy wheels with front P245/35 ZR 19 and rear P275/30 ZR 19 performance tires ⁴	○	○	•

• Standard ○ Optional

¹Always wear your safety belt and secure children in the rear seat

²Optional heated windshield available in Canada

³The 18" Vulcan wheel is a no-cost option for the R model and is fitted with performance tires

⁴The 19" Barcelona wheel and tire assembly is of low profile with a bias toward sporting attributes. Wheel and tire assemblies with low tire sidewall height will be more susceptible to impact damage in service

⁵Optional in Canada

*Z rated tire

ALLOY WHEELS



18" cast alloy-Triton



18" cast alloy-Vulcan



19" cast alloy-Barcelona



The *thrill, pride and sense of accomplishment* that attend the initial purchase of a JAGUAR S-TYPE continue and even deepen during the ownership period that follows. This is not happenstance; it's the result of the very intentional support of JAGUAR drivers. *As one of these special people, here is what you can expect:*

TOTAL CARE

Seamless support for your new S-TYPE, so you can relax and drive. A combination of vehicle warranty, paint and corrosion protection, complimentary maintenance and Jaguar Assistance.

WARRANTY

Jaguar Cars offers a comprehensive, 4-year/50,000-mile (80,000-kilometer) New Vehicle Limited Warranty¹ as well as a 6-year/unlimited mileage Corrosion Protection Limited Warranty.

SERVICE & ASSURANCE

Complimentary maintenance further enhances your Jaguar driving experience. Simply bring your jaguar to an authorized Jaguar dealer, and required maintenance will be performed at no charge throughout your first year of ownership or 12,000 miles (16,000 kilometers), whichever comes first.

JAGUAR ASSISTANCE

Handled by Jaguar-trained specialists, this incident management program provides towing service, jump-starts, lockout assistance, gasoline delivery, tire changes and trip routing help, 24/7. Just call 1.800.4.Jaguar.²

LOCAL DEALERS

Your local dealer is Jaguar's partner both in bringing you thrilling vehicles and in making your buying and ownership experience pleasant. Introduce yourself. Find out what your dealership can do for you.

IMPORTANT NOTICE

Jaguar Cars is constantly seeking ways to improve the specification, design and production of its vehicles, and alterations take place continually. While every effort is made to produce up-to-date literature, this brochure should not be regarded as an infallible guide to current specifications, nor does it constitute an offer for the sale of any particular vehicle.

ENVIRONMENTAL NOTICE

Jaguar Cars has a vision of being among the world's leading companies in demonstrating progress toward sustainability. We aim to do this by contributing to a better quality of life for communities affected by the design, manufacture, use and disposal of Jaguar cars. We believe that playing a supportive role in the communities in which we operate is a privilege, not an obligation. Corporate citizenship goes to the very heart of our company. It is Jaguar's policy to continually improve its high environmental standards in all areas of business activity.

JAGUAR.COM/JAGUAR.CA

Visit Jaguar's official web site to access a dealer locator, car configurator, price lists, model comparisons and enthusiast links to Jaguar Clubs of North America and Jaguar Conservation Trust.

JAGUAR AUTO CLUBS

Jaguar clubs across Canada, the U.S. and Mexico serve as nerve centers for enthusiasts. With 64 affiliated chapters and over 6,000 members, these clubs sponsor wonderful driving tours and social events of all kinds. And if you feel competitive, rally and slalom events are also organized. To find the club nearest you, visit jcna.com or call 1.888.clubjag.

JAGUAR FINANCIAL

Available both for individuals and businesses, Jaguar offers leasing, financing and insurance packages that can be tailored to all needs, and will raise customer confidence and satisfaction to levels very nearly as pleasing as the feel of your new vehicle. Ask your dealer for details, or check www.jaguarcredit.com.



“#1 NAMEPLATE IN SALES SATISFACTION, THREE YEARS IN A ROW.”³

¹See your Jaguar retailer for complete details.

²All elements of Jaguar Assistance are available only while your Jaguar Warranty is in effect.

³Jaguar received the highest numerical score in the proprietary J.D. Power and Associates 2004–2006 Sales Satisfaction Index Study.SM 2006 study based on responses from 42,218 new-vehicle buyers, measuring 36 models, and measures opinions of buyers who registered their vehicles in May 2006. 2006 proprietary study results are based on experiences and perceptions of buyers surveyed from August–September 2006. Your experiences may vary. Visit jdpower.com